

High molecular weight agents

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests	Broncho- provocation	Other evidence
<u>Animal-derived antigens</u>									
Laboratory animal	Laboratory workers	(1) (2)	296 5	13% NA	17% + 100% +	34% of 255 +	ND	ND	
Cow dander	Agricultural workers	(3)	49	NA	100%	ND	Negative precipitins	100% +	ND
Cow bone dust	Butcher	(4)	1	NA	+	+	Immunoblotting		+
Monkey dander	Laboratory workers	(5)	2	NA	2 +	2 +	Immunoblotting		ND
Deer dander	Farmer	(6)	1	NA	+	ND	ND		
Mink urine	Farmer	(7)	1	NA	+	-	ND		+
Chicken	Poultry workers	(8)	16	NA	79% +	79% +	ND	1/1 +	
	Poultry workers	(9)	4	NA	+ to feathers	ND	ND		+
Goat dander	Butcher, veterinarian	(10)	3	NA	+	+	Immunoblotting, cross- reactivity to cow epithelium		+
Goat cheese (goat whey)	Cheese production process	(11)	1	NA	+ (goat whey)	ND	Immublotting		+
Pig	Butcher	(12)	1	NA	ND	+	ND	ND	PEF
Pig gut (vapour from soaking water)	Pork producer	(13)	1	NA	+	+	Immunoblot	+ (soaking water)	
Frog	Frog catcher	(14)	1	NA	+	+	Negative precipitins	ND	
Lactoserum	Dairy industry	(15)	1	NA	+	ND	+ Basophil degranulation		+
Raw beef	Cook	(16)	1	NA	+	ND	SDS-Page		+
Bovine serum albumin	Laboratory technician	(17)	1	NA	+	ND	ND		+
Lactalbumin	Bakery and dairy	(18)	2	NA	+	+	ND		+
Casein (cow's milk)	Tanner	(19)	1	NA	ND	+	ND		+
Egg protein	Egg producers	(20)	188	7%	34% +	29% +	ND	ND	PEF, 7% +
Endocrine glands	Pharmacist	(21)	1	NA	+	ND	ND		+
Bat guano	Various	(22)	7	NA	+	+	RAST inhibition	ND	
Ivory dust	Ivory worker	(23)	1	NA	neg	ND	ND		FEV1 at work
Nacre dust	Nacre buttons	(24)	1	NA	+	ND	Negative precipitins		+
Sericin	Hairdresser	(25)	2	NA	1/1 +	ND	ND	ND	
Birds	Zoo keepers	(26)	200	13.6% (of 147 with sensitization)	8% (of 147)	72%	ND	ND	

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests		Broncho- provocation test	Other evidence
							Western blot (serum and mucus proteins)	Immunoblotting		
African penguin	Animal behaviourist	(27)	1	NA	ND	ND			ND	PEF changes
Royal jelly	Technicians in pharmacy	(28)	2	NA	+	+		Immunoblotting	+ (1)	PEF
Sea anemone (<i>Actinia equina</i>)	Fisherman and worker in a seafood processing plant	(29)	2	NA	+	+		Immunoblotting	+	
Crustacea, seafoods, fish										
Crab	Snow-crab processors	(30)	303	16%	22% +	ND	ND		72 % of 46 +	PEF, PC20
Prawn	Prawn processors	(31)	50	36%	26% +	16% +	ND		2/2 +	
Hoya (Oyster Prawn Or Sea-Squirt)		(32)	1413	29%	82% of 511	89% of ~ 180 with asthma + with asthma +	ND		ND	
Clam and shrimp	Food processors	(33)	2	4%	+	+	RAST inhibition		+	PC20
Lobster and shrimp	Fishmonger shop	(34)	1	NA	+	+	ND		+	
Gammarus shrimp	Fishfood factory	(35)	1	NA	+	+	SDS-PAGE		+	PC20
Scallop and shrimp	Restaurant seafood handler	(36)	1	NA	+	+	SDS-PAGE		+	PEF
Small shrimp Gammarus	Technician animal food	(37)	1	NA	+	+	+ (Specific IgE protein Pen m 4)		+	
King and queen scallop	Scallop plant processor	(38)	1	NA	ND	+	SDS-PAGE		ND	PEF
Cuttle-fish	Deep-sea fishermen	(39)	66	incidence of 1%/yr	ND	ND	ND		ND	
Cuttle fish bone	Jewellery polisher	(40)	1	NA	+	ND	ND		+	
Salmon	Processing plant	(41)	291	24 (8%)	ND	25 (9%)	Specific IgG (33%)		ND	PEF
Trout	Trout processors	(42)	5	NA	ND	100% Negative	100% +		ND	
Turbot	Fish farm	(43)	3	NA	+ (3)	ND	SDS-PAGE		ND	PEF
Alaska pollock and Yellowfin sole	Workers on factory ships	(44)	7	NA	+	ND	ND		+	
	Restaurant worker	(45)	1	NA	+	ND	ND		+	
Shrimpmeal (<i>Artemia salina</i>)	Technician	(46)	24	3 (12.5%)	+	+	immunoblotting		ND	ND
Red soft coral	Fishermen	(47)	74	9	2/2+	ND	ND		ND	
Marine sponge	Laboratory grinder	(48)	1	NA	+	ND	Precipitins		ND	Asthma attack at work

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests		Broncho- provocation	Other evidence
Shark cartilage Octopus Various fishes Squid (<i>Loligo vulgaris</i>)	Dietetic product	(49)	1	NA	+	ND	immunoblotting		+	
	Canning factory	(50)	1	NA	+	+	SDS-PAGE; immunoblot		+	
	Fish-processors	(51)	2	NA	+	+	ND		+	PEF
	Seafood production worker	(52)	1	NA	+	ND	ND		+	
										Eosinophilia (tears, nasal fluid, sputum)
Shrimp shell powder	Processing plan	(53)	1	NA	ND	-	Increase in specific IgG		+	Possible associated extrinsic alveolitis
Arthropods										
Grain pests (<i>Eurygaster</i> and <i>Pyrale</i>)	Farmers	(54)	15	NA	+	+	RAST inhibition		+	
Locust	Laboratory workers	(55)	118	26%	32% of 113	+	done	Specific IgG	ND	Reduced FEV1
		(56)	15	60%	77% +		53%	RAST inhibition	ND	
Screw worm fly (<i>Cochliomyia hominivorax</i>)	Flight crew	(57)	182	25%	91% of 11	+	ND	ND	ND	
Caddis flies (Phryganeiae)	Engineer at electric power plant	(58)	1	NA	+	ND	ND		+	
Cricket	Laboratory workers	(59)	2	NA	+	+	Passive transfer		+	
Insect larvae (<i>Galleria mellonella</i>)	Fish bait breeder	(60)	14	NA	+	+	RAST inhibition		+	PEF
Moth, butterfly	Fish bait farmers	(61)	76	4 %	32 %	19 %	ND		ND	
Moth, butterfly	Entomologists	(62)	2	NA	+	ND	ND		ND	
Mexican bean weevil (<i>Zabrotes subfasciatus</i> Boh.)	Seed house	(63)	2	NA	+	ND	Passive transfer	ND		
Fruit fly	Laboratory workers	(64)	22	32%	27% +	27% +	RAST inhibition	21 % of 14 +		
Mediterranean fruit fly (<i>Ceratitis capitata</i>)	Producer of flies	(65)	2	NA	+ in two	+ in two	immunoblotting	+ in two	PEF	
Honeybee	Honey processors	(66)	1	NA	+	+	ND		+	
Green bottle fly larvae (<i>Lucilla caesar</i>)	Anglers	(67)	14	NA	13/14	13/14	RAST inhibition	7/7 +		
Lesser mealworm (<i>Alphitobius diaperinus</i> Panzer)	Entomologists	(68)	3	NA	Negative	100% of 3	RAST inhibition	ND		
Mealworm larvae (<i>Tenibrio molitor</i>)	Fish bait handlers	(69)	5	NA	4/5	2/5	RAST inhibition	2/2		

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests		Broncho- provocation	Other evidence
Bruchus latus	Agronomist	(70)	1	NA	+	+	immunoblotting		+	
Daphnia	Fish food-store	(71)	2	NA	+	+	ND		2/2 +	
Sheep blowfly (<i>Lucilia cuprina</i>)	Technicians	(72)	53	24	ND	67 % of 15 +	ND		ND	
Grasshopper	Laboratory workers	(73)	16	4 (25%)	7 (44%)	ND	ND		+ in one	
Grasshopper (<i>Locusta migratoria</i>)	Laboratory workers	(74)	3	NA	+	+	SDS-PAGE		ND	
Sewer fly (<i>Psychoda alternata</i>)	Sewage plant workers	(75)	1	NA	+	+	histamine release; F +		+	
Chironomid midges (<i>Chironomus thummi</i>)	Aquarists, fish-food	(76)	225	45%	80%	34%	ND		ND	
Beetles (Coleoptera)	Museum curator	(77)	1	NA	+	ND	Passive transfer		ND	
Dermestidae spp	Wool worker	(78)	1	NA	+	+	SDS-PAGE		+	
Confused flour beetle (<i>Tribolium confusum</i>)	Mechanics in a rye plant	(79)	1	NA	+	+	ND		ND	
<i>Liposcelis decolor</i>	Carpenter (work close to a granary)	(80)	1	NA	+	+	SDS-Page		ND	Improvement in symptoms away from work
Silkworm	Silk workers	(81)	53	34%	ND	ND	ND		ND	
Herring worm (<i>Anisakis simplex</i>)	Chicken breeder									
	Fish monger	(82)	2	NA	+	+	immunoblotting		+	
	Fish processing	(83)	578	1%	6%	ND	ND		ND	
Larva of silkworm	Sericulture	(84)	5519	0.2	100% of 9 (?) +	1 / 1 (?) +	PK		100% of 9 +	
Fish-feed Echinodorus larva (<i>Echinodorus plasmosus</i>)	Fish-food handler	(85)	1	NA	+	+	ND		+	
Arthropods (Chrysoperla carnea, <i>Leptinotarsa decemlineata</i> , <i>Ostrinia nubilalis</i> and <i>Ephestia kuhniella</i>)	Technicians	(86)	3	23%	ND	+	ND		ND	
Ground bug	Bottling	(87)	1	NA	+	+	ND		ND	PEF
Nematode (<i>Steinernema feltiae</i>)	Technician	(88)	1	NA	+	+	ND		+	

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests		Broncho- provocation test	Other evidence
							ND	ND		
<u>Acarians</u>										
Grain mite	Farmers	(89)	290	12%	21% +	19% of 219 +	ND	ND	1/1 +	21% of 116 with + PC20
	Grain-store workers	(90)	133	33%	25% +	23% of 128 +	ND	ND		
Mites and parasites	Flour handlers	(91)	12	NA	ND	+	ND	ND	ND	
<i>Amblyseius cucumeris</i>	Horticulturists	(92)	472	25.7%	23%	Done in some	ND	ND	ND	Nasal challenges
Fowl mite	Poultry workers	(93)	13	NA	77% +	60%	ND	ND	1/1 +	
Barn mite	Farmers	(94)	38	NA	100% +	~100%	ND	ND	ND	
Fruit tree red spider (<i>Panonychus ulmi</i>)	Apple growers	(95)	4	NA	+	ND	Negative precipitins	ND		
Citrus red mite (<i>Panonychus citri</i>)	Citrus farmers	(96)	16	NA	+	+	RAST inhibition	+ (One)		
McDaniel spider mite (<i>Tetranychus macdanieli</i>)	Vine growers	(97)	35	4/35 (11%)	100%	ND	ND	ND		
Two spotted spider mite (<i>Tetranychus urticae</i>)	Farmer	(98)	16	16/46 (35%)	100%	100%	ND	ND	ND	
Various insects used in biological pest control	Greenhouse workers	(99)	2	NA	+	+	ND	ND	+	
<u>Molds</u>										
Dictyostelium discoideum (mold)	Technician	(100)	1	NA	+	+	ND	Workplace +		
Aspergillus niger	Technicians	(101)	3	1%	3 +	ND	ND	ND		
Aspergillus oryzae	Work in a Sake	(102)	1	NA	?	+	Negative precipitins	+	PEF	
Aspergillus(unspecified)	Beet sugar workers	(103)	1	1%	+	+	ND	ND		
Alternaria	Baker	(104)	1	NA	+	ND	Negative precipitins	+		
	Baker	(104)	1	NA	+	ND	Negative precipitins	+		
Trichoderma koningii	Sawmill worker	(105)	1	NA	ND	ND	Precipitins, specific IgG	ND	PEF	
Plasmopara viticola	Agricultural	(106)	1	NA	+	+	Various	+		
Neurospora	Plywood factory worker	(107)	1	NA	+	+	ND	+		
Chrysonilia sitophila	Logging worker	(108)	1	NA	+	+	ND	ND	PEF	
	Coffee maker	(109)	1	NA	+	+	ND	+		
Rhizopus nigricans	Coal miner	(110)	1	NA	+	+	ND	+		

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests		Broncho- provocation	Other evidence
Sooty molds (Ascomycetes, deuteromycetes)	Laborer	(111)	1	NA	+	ND	ND		ND	
Penicillium nalgiovensis	Sausage butcher	(112)	1	NA	+	ND	+ Precipitins		ND	
Mucor species (contaminating esparto fibers)	Stucco worker	(113)	1	NA	+	ND	ND		+	
Mushroom (unspecified)	Mushroom soup processors	(114)	8	NA	+	ND	ND	50 % of 8 +		
Pleurotus cornucopiae	Mushroom producers	(115)	1	NA	ND	+	Immunoblotting	ND	PEF	
Boletus edulis	Office worker, cook		3	NA	+	+	ND	2+		
	hotel manager	(116)								
Agaricus bisporus (White mushroom)	Agriculture	(117)	2	NA	+	+	SDS PAGE	ND	PC20	
Pleurotus ostreatus (Spores of White spongy rot)	Seller	(118)	1	NA	+	+	Immunoblotting	+		
Sweetpea (Lathyrus odoratus)	Greenhouse worker	(119)	1	NA	+	+	ND	ND	PEF	
Baker's yeast (Saccharomyces cerevisiae)	Baker	(120)	1	NA	+	+	ND	+	PEF	
Shiitake (lentinus edodes)	Packager of dried mushrooms	(121)	1	NA	+	ND	Immunoblotting	ND	Improvement in spirometry away from work	
Various	Mushroom farm	(122)	1	NA	+	ND	Immunoblotting	ND	PEF	
<u>Algae</u>										
Chlorella	Pharmacist	(123)	1	NA	+	ND	ND	+	PEF	
Non-specified	Thalassotherapist	(124)	1	NA	ND	ND	ND	ND	+	+
<u>Flours</u>										
Wheat, rye and soya flour	Bakers, millers	(125)	279	35%	9% + (cereals)	ND	ND	ND	ND	FEV1, PC20
		(126)	7	100%	100% +	100% +	100% Negative	57% +		
		(127)	9	100%	ND	100% +	Western blotting, etc.	ND		

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests		Broncho- provocation	Other evidence
Hydrolyzed wheat protein	Hairdressers	(128)	2	NA	+	Negative with (laudimonium flours and hydroxypropyl) gliadin	ND	+ in one	+ nasal challenge in one subject	
White pea flour (<i>Lathyrus sativus</i>)	Flour handler	(129)	1	NA	+	ND	+ Precipitins	+	ND	
Buckwheat flour	Bakers	(130)	3	NA	100%	+	ND			
	Baker	(131)	1	NA	+	+	Immunoblotting	+		
Konjac flour	Flour handler	(132)	1	NA	+	+	RAST inhibition	+		
White Lupin flour (<i>Lupinus albus</i>)	Food processing	(133)	1	~ 2%	+	+	ND	+		
Marigold flour (<i>Tagetes erecta</i>)	Animal fodder	(134)	1	NA	+	+	Immunoblotting	ND	+ Nasal challenge	
Quinoa seed flour	Milling	(135)	1	NA	+	ND	ND	ND	Increased FeNO	
Corn flour	Feed store	(136)	1	NA	ND	+	ND			
Pollens										
Bell pepper	Greenhouse workers	(92)	472	13.3%	35.4%	18.6%	ND	ND		
Brassica oleacea pollen (cauliflower and broccoli)	Vegetable plant	(137)	54	38%	39%	58%	ND	ND		
Sunflower (<i>Helianthus spp</i>)	Laboratory worker	(138)	1	NA	+	+	RAST inhibition	+		
Helianthus annuus	Processing workers	(139)	102	16.6%	23.5%	ND	ND	ND		
Canari island date palm (<i>Phoenix canariensis</i>)	Gardener	(140)	1	NA	+	+	ND	+		
White mustard (<i>Sinapis alba</i>)	Olive farmers	(141)	11	NA	+	+	ND	ND		
Cyclamen	Florists	(142)	2	NA	+ (pollen)	+	ND	ND		
Eggplant (<i>Solanum melongena</i>)	Greenhouse worker	(143)	1	NA	+	ND	ND	+ conjunctival	PEF	
Chrysanthemum	Greenhouse workers	(144)	104	9%	20.2%	+ in some	ND	ND	ND	
Bell of Ireland (<i>Molucella laevis</i>)	Grower	(145)	1	NA	+	+	ND	+	PEF	
Rose	Culture of roses	(146)	290	6.2%	ND	19.5%	Immunoblotting	ND		
Thale cress (<i>Arabidopsis thaliana</i>)	Research student	(147)	1	NA	+	ND	ND	+	PEF	

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests	Broncho- provocation	Other evidence
Plants									
Grain dust	Grain elevators	(148)	610	~40%	9% +	ND	Negative precipitins	ND	spirometry pre-post shift
	Grain elevators	(149)	502	47%	~ 50% of 51 exposed +	ND	ND	ND	FEV1, volumes
	Grain elevators	(150)	22	NA	0 % +	ND	Negative precipitins	27%+	50% PC 20 +
	Baker	(151)	1	NA	+	+	ND	+	PEF
Triticale (hybrid cereal of rye and wheat)	Farmer	(120)	1	NA	+	+	Immunoblotting	ND	Spirometry (at work, off- work)
Rice	Rice mill worker	(152)	3	NA	+ (3)	+	IgE inhibition test	+	
Vetch (<i>Vicia sativa</i>)	Farmer	(153)	1	NA	+	+	+ Precipitins, passive transfer	+	
Coffee bean	Food processor	(154)	372	34%	24% +	12% +	ND	ND	Lung function
	Emptying	(155)	45	9%	9-40% +	ND	ND	ND	Spirometry
	Roastery	(156)	22	NA	82% +	50% +	ND	67 % of 12	PC 20 + in 14
Castor bean	Oil industry	(157)	14	NA	100% +	100% +	ND	ND	
Green bean (<i>Phaseolus multiflorus</i>)	Homemaker	(158)	1	NA	+	+	Histamine	+	
Carob bean	Jam factory	(159)	1	NA	-	+	ND	+	
Lima bean (<i>Phaseolus lunatus</i>)	Cake processor	(160)	1	NA	+	ND	+ Basophil activation	+	
Soybean (<i>glycine maxima</i>)	Soyabean processors	(161)	144	20.8%	ND	ND	ND	ND	
Almond shell dust	Sheller	(162)	1	NA	-	-	ND	+	
Tea plant dust (<i>Camellia sinensis</i> containing epigallocatechin gallate)	Tea processors	(163)	3	NA	+	+	+ PCA with catechin	+	
Herbal tea	Herbal tea processors	(164)	1	NA	ND	Negative	ND	+	
Tobacco leaf	Tobacco manufac-. turers	(165)	16	69%	ND	ND	ND	ND	+
Wonji (<i>Polygala tenuifolia</i>)	Herbal manufacture	(166)	1	NA	+	+	SDS-PAGE	ND	PEF
Copperleaf (<i>Acalypha wikesiana</i>)	Gardener	(167)	1	NA	+	Negative	Immunoblotting	+	
Hops	Brewery chemist	(168)	1	NA	+	ND	ND	ND	
		(169)							
		(170)							

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests	Broncho- provocation	Other evidence
								tests	
Baby's breath (<i>Gypsophila paniculata</i>)	Florist	(171)	1	NA	+	+	Histamine release	+	
Freesia (Freesia hybride)									
and paprika (<i>Capicum anuum</i>)	Horticulture	(172)	2	NA	+	+	Histamine release	ND	
Flowers (various)	Flower industry	(173)	40	7.7% (21%, flowers)	+	ND	ND	3 subjects +	
Amaryllis	Greenhouse worker	(174)	1	NA	+	+	ND	+	PEF
Chamomile (unspecified)	Cosmetician	(175)	1	NA	+	ND	ND	+ Nasal challenge	
Easter lily (<i>Lilium longiflorum</i>)	Tea-packing worker	(176)	1	NA	+	+	ND	+	
Statice (<i>Limonium tataricum</i>)	Floral shop worker	(177)	1	NA	+	+	RAST inhibition	+	PEF
Sea lavender (<i>Limonium sinuatum</i>)	Floral worker	(178)	1	NA	+	+	ND	ND	PEF
Decorative flower	Owner of greenhouse	(179)	1	NA	+	+	Immunoblotting	+	
Safflower and yarrow (<i>Carthamus tinctorius</i> and <i>achillea millefolium</i>)	Floral worker	(180)	4	NA	+ 2/4	+ 2/4	ND	+ 3/4	
Spathe flower	Floral worker	(181)	1	NA	+	+	Immunoblotting	+	
Peach	Factory worker	(183)	1	NA	+	+	ND	+	
Peach leave	Fruit grower	(184)	1	NA	+	+	Immunoblotting	+	
Peach tree pollen (Pru p 9)	Workers in peach tree orchards	(185)	21	NA peach tree pollen(Pru p 9) and 43% + (Pru p 9)	100% + 43% +	Immunoblotting		Asthma symptoms (29%) and rhinitis symptoms (100%)	
Soapnut (containing oil fruits with saponin) (<i>Sapindus trifoliatus</i>)	Worker in a chemical company	(186)	1	NA	+	-	+ Immunoblotting	+ changes in FEV1 and FeNO at work	
Ivy (<i>Hedera helix</i>)	Florist	(187)	1	NA	-	ND	ND	+	PEF
Madagascar jasmine sap (<i>Stephanotis floribunda</i>)	Greenhouse workers	((188)	4	50%	+	+	ND	+ in one	PEF

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests		Broncho- provocation	Other evidence
Herb material	Herbal worker	(189)	1	NA	+	+	Identification of 3 protein fractions		+	
Umbrella tree(Schefflera) landscape gardener		(190)	1	NA	+	+	ND		ND	
Passion flower & Cascara sagrata (<i>Passiflora alata</i> & <i>Rhamnus purshiana</i>)	Pharmacy technician	(191)	1	NA	+	+	Immunoblotting		+	
Sarsaparilla root	Herbal tea worker	(192)	1	NA	+	+	ND		+	
Olive oilcake	Oil industry	(193)	1	NA	+	ND	ND		+	
Brazil ginseng (<i>Pfaffia paniculata</i>)	Medicinal plant processor	(194)	1	NA	+	+	Negative precipitins		+	
Sanyak (<i>Dioscorea Batatas</i>) and Korean ginseng (<i>Panax ginseng</i>)	Herbal merchant	(195)	1	NA	+	+	Immunoblotting		+	
Voacanga Africana seed dust	Chemist' spouse	(196)	1	NA	+	+	Negative precipitins		+	
Tampico fiber in agave leaves	Brush-makers	(197)	2	NA	+	ND	Immunoblotting		+	
Onion	Homemakers	(198)	3	NA	+	+	ND		+	
Onion seeds (<i>Allium cepa</i> , red onion)	Seed packing	(199)	1	NA	+	+	Immunoblotting		+	
Feenel seed	Sausage processing	(200)	1	NA	ND	+	Immunoblotting		ND	
Sesame seed	Baker	(201)	1	NA	+	+	Immunoblotting		+	
Linseed oilcake	Chemist	(202)	1	NA	+	+	ND		+	
Grass juice	Gardener	(203)	1	NA	+	+	Immunoblotting		+	
Potato	Housewives	(204)	2	NA	+	+	Histamine release		+	
Tomato and cucumber	Greenhouse workers	(205)	14	NA	+	+			+	PEF
Citrus food handling (d,l -limonene, citronellol and dichloroprene)	Labourer	(206)	1	NA	-	+	ND		ND	
Carrot (<i>Daucus carota L.</i>)	Cook	(207)	1	NA	+	+	SDS-PAGE		+	
Asparagus	Food processor	(208)	1	NA	+	+	Immunoblotting		+	
Courgette	Fruit wareshouse	(209)	1	NA	+	+	ND		ND	
Cauliflower and cabbage	Restaurant	(210)	1	NA	+	+	ND		+	
Lettuce	Farmers	(211)	13	1.4%	+ 62%	+ 46%	Immunoblotting		ND	

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests	Broncho- provocation test	Other evidence
Spinach powder	Pasta factory	(212)	1	NA	+	+	Lymphocyte activation test	+	eosinophils in BAL
Celeriac	Plant preparing vegetables	(213)	1	NA	+	+			anaphylaxis on eating celeriac
Swiss chard (Beta vulgaris L. cycla)	Housewife	(214)	1	NA	+	+	Histamine release	+	
Cacoon seed (Entago gigas)	Decorator	(215)	1	NA	+	ND	ND	ND	
Dusts from seeds of Sacha Inchi(Plukenetia volubis)	Cosmetic factory	(216)	1	NA	+	ND	SDS-PAGE	+	
Chicory	Vegetable wholesaler	(217)	1	NA	+	+	Immunoblotting	ND	
Rose hip	Pharmaceutical	(218)	9	NA	67% +	67% +	ND	50% of 4 +	
Garlic dust	Food packaging	(219)	1	NA	+	+	ND	+	
		(220)	1	NA	+	+	RAST inhibition	+	
Liquorice roots (Glycyrrhiza spp)	Herbalist	(221)	1	NA	+	+	ND	+	
Esparto (Stipa tenacissima and Lygeum spartum)	Stucco handler	(222)	1	NA	+	+	Immunoblotting	ND	PEF
Spices	Spices processing	(223)	1	NA	+	+	ND	ND	
Saffron (Crocus sativus)	Saffron processors	(224)	5	10%	6%+	26%	Immunoblotting RAST inhibition	+ in one	
Aromatic herbs	Butcher	(225)	1	NA	+	+	ND	+	PEF
Lycopodium powder	Preservative makers	(226)	30	7%	ND	ND	ND	2/2 +	
Weeping fig (Ficus benjamina)	Plant keepers	(227)	84	7%	21% +	21%	ND	100% of 6 +	PC20
Henna (unspecified)	Hairdressers	(228)	2	NA	+	+	ND	1/2 +	
Fenugreek	Food industry	(229)	1	NA	+	+	ND	ND	
Aniseed	Food industry	(230)	1	NA	+	+	ND	+	
Kapok	Sewer	(231)	1	NA	-	-	ND	+	Lung function
Argan (<i>Argania spinosa</i>)	Cosmetic factory	(232)	3	33.3% (3/9) + in one		negative	Immunoblotting	+	
Miracle tree (<i>Moringa oleifera</i>) seed	Technician (cosmetic factory)	(233)	1	NA	+	ND	+ SDS-Page	+	PEF
Melon	Agricultural Worker	(234)	1	NA	+	ND	Immunoblotting	+	

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests	Broncho- provocation test	Other evidence
Cellulose	Operator sanitary pad production	(235)	1	NA	negative	negative	ND	+	PEF
<u>Plant-derived natural products</u>									
Gluten	Baker	(236)	1	NA	+	+	RAST inhibition	+	
Soybean lecithin	Bakers	(237)	2	NA	+	+	ND	+	
Pectin	Christmas candy maker	(238)	1	NA	+	-	Specific IgG4	+	
Latex	Glove manufacturers	(239)	81	6%	11%+	ND	ND	ND	PEF
	Health professionals	(240)	7	2.5%	4.7%+	ND	ND	+	
Rose oil	Rose extraction	(241)	52	NA	+	ND	ND	ND	
<u>Biologic enzymes</u>									
Bacillus subtilis	Detergent industry	(242)	1642	3.2% (over 7 years)	4.5-75%	+26% of 248 +	ND	ND	Lung function
	Factory workers	((243))	38	NA	66% +	ND	Passive transfer 100% of 5 + + Precipitin (nonspecific)	90 %+	Lung function
Trypsin	Plastic, pharmaceutical	(244)	14	29%	+	+	ND	75 % of 4 +	
Papain	Pharmaceutical	(245)	29	45%	34% +	34% +	ND	89% of 9 +	
Pepsin	Pharmaceutical	(246)	1	NA	+	+		+	
Pancreatin	Pharmaceutical	(247)	14	NA	93% +	100% of 3 +	ND	100% of 8 +	Lung function
Flaviastase	Pharmaceutical	(248)	3	NA	+	+	+ Precipitin	ND	
Bromelin	Pharmaceutical	(249)	76	11%	25% +	ND	ND	ND	
	(250)	2	NA	+	ND		ND	2/2 +	
Egg lysosyme	Pharmaceutical	(251)	1	NA	+	+	ND	+	PEF
Fungal amylase	Bakers	(252)	118	NA	100% of 10 +	2% exposed 34% occup. asthma +	ND	ND	
Phytase from Aspergillus niger	Baker	(253)	1	NA	+	+	ND	+	
	Technicians	(254)	53	36%	ND	+	SDS-PAGE	ND	

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests	Broncho- provocation test	Other evidence
Fungal amyloglucosidase and hemicellulase	Bakers	(255)	140	NA	ND	5-24%	ND	ND	
Serratial peptidase and lysozyme chloride	Pharmaceutical	(256)	1	NA	ND	+	Immunoblotting	+	
Esperase	Detergent industry	(257)	667	NA	ND	5%	ND	ND	
Xylanase	Laboratory workers	(258)	2	NA	2	2	ND	ND	PEF
Pectinase and glucanase	Fruit processors	(259)	3	NA	ND	pos	Immunoblotting	ND	PEF
Lactase	Pharmaceutical	(260)	207	4%	31% +	ND	ND	ND	
Empynase (pronase B)	Hospital personnel	(261)	6	3.9%	20%	+	Immunoblotting	ND	
Various enzymes in rennet production (proteases, pepsine, chymosines)	Cheese producers	(262)	6	17%	40% +	ND	ND	ND	
Lallzyme EX-V (from Aspergillus niger)	Wine cellar	(263)	1	NA	+	ND	Immunoblotting	+	
Protease	Operator in a dishwashing tablet factory	(264)	1	NA	+	+	ND	+	FeNO
Chymosine	Cheese maker	(265)	1	NA	+ (rennet)	+	Immunoblotting	ND	Improvement away from work
Vegetable Gums									
Acacia	Printers	(266)	63	19% of 31 (selection)	ND	ND	ND	ND	
Tragacanth	Printers	(267)	10	NA	+	ND	Passive transfer (3 +)	ND	
Karaya	Gum importer	(268)	1	NA	+	ND	ND	ND	
Guar	Hairdressers	(269)	9	4%	+	ND	Passive transfer	ND	
Gutta-percha	Carpet manufacturing	(270)	162	2%	5% +	8% +	ND	67 % of 3 +	PC20
	Dental hygienist	(271)	1	NA	+	ND	ND	ND	

Low molecular weight agents

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests	Broncho- provocation	Other evidence
<u>Diisocyanates</u>									
Toluene diisocyanate	Polyurethane	(272)	112	12.5%	3%+	0%+	0%+	45% of 11+ PCA	
	Plastics, varnish	(273)	26	NA	ND	19%+	ND	100%+	
	Plastics, varnish	(274)	195	28%	ND	5%+	ND	70% of 17+	
	Pastics, varnish	(275)	91	NA	NA	ND	0%+	ND	Specific IgG
Diphenylmethane diisocyanate	Plastics, varnish	(276)	162 †	NA	ND	ND	ND	57%+	
	Foundry	(277)	11	NA	ND	27%+	36%+ Specific IgG	54.5%+	
	Foundry	(278)	76	13%	ND	3%+	7%+ Specific IgG	ND	
	Steel foundry	(279)	26	27%	4%+	4%+	15%+ Specific IgG	ND	
1,5 Naphthylene diisocyanate	Rubber manufacture	(280)	3	NA	ND	ND	ND	100%+	
Isophorone diisocyanate	Spray painter	(281)	1	NA	ND	ND	ND	+	
Prepolymers of TDI	Floor varnishers	(282)	2	NA	ND	0% +	Negative specific IgG	+	
Prepolymers of HDI	Spray painters	(283)	9	45%	ND	33% +	56% +	+	
<u>Combination of diisocyanates</u>									
TDI, MDI, HDI, PPI	Spray painters	(284)	51	11.8%	ND	ND	ND	60% of 10+ to PPI	
MDI, HDI	Various industries	(285)	24	NA	ND	ND	ND	70% + to TDI 33% + to MDI 33% of 9+ to HDI	TDI,
	Chemical manufacturing	(286)	247	NA	60% of 53+ 14 % +	ND	ND		
	Paint shop	(287)	62	NA	ND	15%+	47%+ specific IgG	6%+ to TDI 16% to MDI 24% to HDI	

Agent	Occupation	References	Subjects (n)		Skin test	Specific IgE	Other immunologic tests	Broncho- provocation	Other evidence
			Prevalence						
TDI, MDI	Chemical manufacturing	(288)	28	NA	ND	27% of 22+ TDI-HSA 83% of 6+ MDI-HSA	ND	100%+	
<u>Other hardeners</u>									
Triglycidyl isocyanurate	Spray painter	(289)	1	NA	ND	ND	ND	+	PEF
Polyfunctional aziridine	Hardener in paints	(290)	7	NA	33% of 7	ND	ND	+ in 7	
Bisphenol A diglycidyl ether (BADGE)	Epoxy resin	(291)	1	NA	+	+	ND	+	
		(292)	2	NA	ND	ND	ND	+	
<u>Anhydrides</u>									
Phthalic anhydride	Plastics	(293)	1	NA	+	+	ND	+	
	Toolsetter, resin plant agent	(294)	3	NA	ND	ND	ND	100%+	
	Production of resins	(295)	118	28%	18% of 11+	ND	ND		
	Production of resins	(296)	60	14%	ND	7%+	17%+ Specific IgG	ND	
Trimellitic anhydride	Epoxy resins, plastics	(297)	4	NA	100%+	75%+	100%+	100% of 1+	
Tetrachlorophthalic anhydride	Epoxy resins, plastics	(298)	5	NA	ND	ND	ND	100%+	
	Factory (plastic coating)	(299)	7	NA	100%+	100%+	ND	100%+	
Pyromellitic dianhydride	Epoxy adhesive	(300)	7	NA	ND	ND	ND	30%+	
Methyl tetrahydrophthalic anhydride (MTHPA)	Curing agent	(301)	1	NA	+	+	Negative specific IgG	ND	Improvement with removal
Hexahydrophthalic anhydride (HHPA)	Chemical worker	(302)	1	NA	ND	ND	ND	+	PEF

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests		Broncho- provocation	Other evidence
MTHPA + HHPA Himic anhydride	Electrical plant	(303)	109	5.4%	ND	15.4%	ND	RAST inhibition	6/17	PC20, FENO
	Manufacture of flame retardant	(304)	20	35%	ND	40% of 7+			ND	
Chlorendic anhydride Maleic anhydride	Mechanics	(305)	1	NA	+	+	ND		+	PEF
	Polyester resin production	(306)	1	NA	ND	ND	ND		+	
Dioctyl-phthalate	Production of PVC	(307)	1	NA	ND	ND	ND		ND	PEF
Aliphatic amines (ethyleneamines)										
Ethylene diamine	Shellac handlers	(308)	7	NA	100%+	ND	ND		100%+	
	Photography	(309)	1	NA	ND	ND	ND		+	
Ethylene diamine tetraacetic acid (EDTA) sodium salts	Cleaners and health care professionals	(310)	8	NA	ND	ND	ND	+ (nasal)	PC20	
Isophorone diamine(IPDA)	Epoxy floor coaster	(311)	1	NA	Negative	ND	ND		+ PC20, FeNO	
Hexamethylene tetramine	Lacquer handlers	(308)	7	NA	100%+	ND	ND		100%+	
	Chemical factory	(312)	12	4/12	ND	ND	ND		100% of 2 +	
Aliphatic polyamine Triethylene tetramine	Aircraft filter	(294)	1	NA	ND	ND	ND		+	
	Floor covering material	(313)								
Mixture of trimethyl-hexanediamine and isophorondiamine	salesman		1	NA	-	ND	ND		+	BAL
Aliphatic amines (ethanolamines)										
Monoethanolamine	Beauty culture	(308)	10	100% +	ND	ND	ND		100% +	
Triethanolamine	Metal worker	(314)	2	NA	ND	ND	ND		100% of 2	
Aminoethylmethanolamine	Soldering	(315)	3	NA	ND	ND	ND		100% +	
	Cable jointer	(316)	2	NA	ND	ND	ND		+	
Dimethylethanolamine	Spray paint	(317)	1	NA	-	ND	ND		+	

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests	Broncho- provocation	Other evidence
Aliphatic amines (others)									
3-(Dimethylamino)-propylamine (3-DMAPA)	Ski manufacture	(318)	34	11.7%	ND	ND	ND	ND	Cross-shift change in FEV1
Heterocyclic amines									
Piperazine hydrochloride	Chemist	(319)	2	NA	50%+	ND	ND	100%	
	Pharmaceutical	(320)	131	11.4%	ND	ND	ND	100% of 1+	
	Chemical plant	(321)	2	NA	50%+	100%+	ND	ND	
N-Methylmorpholine		(322)	48	16.6%	ND	ND	ND	ND	
4,4-methylene-bismorpholine	Machine tool setter operator	(323)	1	NA	+	ND	ND	+	PEF
Aromatic amines									
Paraphenylenediamine	Fur dyeing	(324)	80	37.0%	66%+	ND	ND	74%+	
	Hair dyers	(325)	5	NA	Negative	ND	ND	+	
Quaternary ammonium Various compounds	Cleaners	(326)	22	NA	ND	ND	ND	+	changes in PC20 and sputum eosinophils
Benzalkonium chloride	Cleaning product	(327)	1	NA	+	ND	ND	+	
Mixture of amines									
EPO 60	Mould maker	(328)	1	NA	ND	ND	ND	+	
Fluxes									
Colophony	Electronic workers	(329)	34	NA	ND	ND	ND	100%+	
	Manufacture solder flux	(330)	68 low 14 med 6 high	4% 21% 21%	ND ND ND	ND ND ND	ND ND ND	ND ND ND	
Zinc chloride & ammonium chloride flux	Metal jointing	(331)	2	NA	ND	ND	ND	+	PC20
95% Alkylaryl polyether alcohol +5% polypropylene glycol	Electronic assembler	(332)	1	NA	ND	ND	ND	+	

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests		Broncho- provocation test	Other evidence
							ND	ND		
Adipic acid	Solderer	(333)	1	NA	ND	ND	ND	ND	+	PEF
Lipophilic resin	Aerospace plant	(334)	1	NA	ND	ND	ND	ND	ND	Improvement off-work
<u>Wood dust or bark</u>										
Western red cedar (<i>Thuja plicata</i>)	Carpentry	(335)	35	NA	ND	ND	ND	ND	ND	Improvement on removal
	Furniture making	(336)	1320	3.4%	1.9%+	ND	ND	ND	ND	
	Cabinet making, carpentry	(337)	22		100% negative	ND	100% negative precipitins	82% +		
	Sawmill	(338)	185		100% negative	ND	ND	ND	100% +	
	Sawmill	(339)	652	4.1%	100% negative	ND	ND	ND	ND	Questionnaire
Eastern white cedar (<i>Thuja occidentalis</i>)	Sawmill	(340)	3	4-7%	ND	ND	ND	ND	+	PC20
California redwood (<i>Sequoia sempervirens</i>)	Woodcarvers	(341)	2	NA	-	ND	Negative precipitins			
	Carpenter	(342)	1	NA	ND	ND	ND	ND	+	
Cedar of Lebanon (<i>Cedra libani</i>)		(343)	6	NA	17%+	ND	100% negative precipitins	ND		
Spruce wood (unspecified)	Sawmill worker	(344)	1	NA	ND	+	ND	ND	PEF +	
Cocabolla (<i>Dalbergia retusa</i>)	Woodworkers	(345)	3	NA	100% negative	ND	ND	ND	Induced sputum Improvement on removal	
Iroko (<i>Chlorophora excelsa</i>)	Carpenter	(346)	1	NA	+	ND	+ Precipitin	+		
	Carpenter	(347)	1	NA	ND	ND	ND	ND	+	
	Woodworkers	(348)	9	NA	4/9 with +	negative	ND	ND	+	PEF
Oak (<i>Quercus robur</i>)	Lumber milworker	(349)	1	NA	-	ND	+	+	+	
	Construction, carpentry	(350)	3	NA	ND	ND	+ Precipitin	+		
Mahogany (unspecified)	Pattern maker(wood)	(349)	1	NA	-	ND	+ Precipitin	+		
Abiruana (<i>Pouteria</i>)	Furniture factory	(351)	2	NA	+	ND	Negative precipitin	+		

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests		Broncho- provocation	Other evidence
							Other immunologic tests	Broncho- provocation		
African Maple (<i>Triplochiton scleroxylon</i>)	Construction, carpentry	(352)	2	NA	+	+	Passive transfer		+	
	Sauna building	(353)	2	NA	100%+	100%+	ND		+	
	Maker of wooden plane model	(354)	1	NA	+	+	ND		+	
Tanganyika aningre	Woodworkers	(355)	3	NA	100% +	100% -	100% -	Precipitin	100%+	
Mukali (<i>Angineria robusta</i>)	Furniture factory	(356)	1	NA	+	+	ND		+	
Central American Walnut (<i>Juglans olanchana</i>)	?	(357)	1	NA	-	-	Negative precipitins		+	
Kejaat (<i>Pterocarpus angolensis</i>)	Wood-machinist	(358)	1	NA	+	ND	ND		ND	
African zebrawood (<i>Microberlinia</i>)	Wood-machinist	(359)	1	NA	+	+	ND		+	
Ramin (<i>Gonystylus bancanus</i>)	Woodworker	(360)	2	NA	+	+	ND		+	
Quillaja bark (<i>Quillaja saponaria</i>)	Saponin factory	(361)	1	NA	ND	+	ND		+	100% of 1+
Fernambouc (<i>Caesalpinia echinata</i>)	Bow making	(362)	36	33.3%	100% -	ND	ND			
White Ash (<i>Fraxinus americana</i>)	Sawmill	(363)	1	NA	-	-	ND		+	
Common Ash (<i>Fraxinus excelsior</i>)	Furniture	(364)	1	NA	-	+	ND		+	
Pau Marfim (<i>Balfourodendron riedelianum</i>)	Wood-worker	(365)	1	NA	+	+	ND		+	
Capreuva (<i>Myrocarpus fastigiatus Fr. All.</i>)	Parquet floor layer	(366)	1	NA	ND	ND	ND		+	
Ebony wood (<i>Diospyros crassiflora</i>)	Carpenter	(367)	1	NA	-	ND	ND		+	
Kotibe wood (<i>Nesorgordonia papaverifera</i>)	Cabinet maker	(368)	1	NA	+	ND	Passive transfer		+	
Cinnamon (<i>Cinnamomum Zeylanicum</i>)	Store workers	(369)	40	22.5%	ND	ND	ND		100% of 1 +	
Imbuia (Brazilian walnut)	Furniture	(370)	1	NA	ND	ND	+ Precipitin		+	Negative PEF

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests		Broncho- provocation test	Other evidence
Blackwood (<i>Acacia Melanoxyton</i>)	Furniture	(371)	3	NA	ND	ND	ND	ND	+	PEF
African Cherry (Makore)	Cabinet worker	(372)	1	NA	-	ND	ND	SDS-PAGE	+	
Antiaris	Door manufacturer	(373)	1	NA	+	+	+ Immunoblotting	SDS-PAGE	+	
Sapele wooddust	Carpenter	(374)	1	NA	ND	ND	ND	ND	ND	
Ipe (<i>Tabebuia spp</i>)	Sawyer	(375)	1	NA	ND	ND	ND	ND	+	
Angelim pedra (<i>Hymenolobium petraeum</i>)	Carpenter	(376)	1	NA	+	ND	SDS-PAGE	SDS-PAGE	+	
Cedorana (<i>Cedrelina catenaeformis</i> Ducke)	Carpenter	(377)	1	NA	+	+	SDS-PAGE	SDS-PAGE	+	
Falcata (<i>Albizia falcata</i>)	Wood furniture	(378)	1	NA	+	ND	ND	ND	+	
Chengal (<i>Neobalanocarpus heimii</i>)	Carpenter	(379)	1	NA	ND	ND	ND	ND	+	+ PEF
Padauk (<i>Pterocarpus soyauxii</i>)	Cabinet maker	(380)	1	NA	-	+	No binding proteins	No binding proteins	+	
Unidentified agent	Sawmills of Eastern Canada and USA	(381)	11	NA	ND	ND	ND	ND	+	PEF
Metals										
Platinum	Platinum refinery	(382) (383)	16 136	NA 29%	62%+ 17%+	ND 21%+	ND	ND	62%+ ND	
Tetrachloroplatinate	Production of cytotoxic drugs (Cisplatin)	(384)	1	NA	Not inter- pretable	ND	ND	ND	+	
Nickel sulfate	Metal plating	(385)	1	NA	+	ND	-	-	+	Precipitin
	Metal polisher	(386)	1	NA	+	ND	-	-	+	Precipitin
Cobalt	Electroplating	(387)	1	NA	+	+	ND	ND	+	
	Hard metal grinders	(388)	4	NA	25%+	ND	ND	ND	50% +	
	Diamond polisher	(389)	3	NA	ND	ND	ND	ND	100% +	
Iron (unspecified)	Welders	(390)	3	NA	ND	ND	ND	ND	+	Induced sputum
Palladium tetraamine dichloride	Assembly line	(391)	1	NA	+	ND	ND	ND	+	
Rhodium	Assembly line	(392)	1	NA	+	ND	ND	ND	+	

Agent	Occupation	References	(n)	Subjects	Prevalence	Skin test	Specific IgE	Other immunologic tests	Broncho-	Other evidence
									provocation test	
Zinc fumes	Solderers	(393)	2	NA	ND	ND	ND	ND	+	
	Locksmith	(394)	1	NA	ND	ND	ND	ND	+	
Tungsten carbide	Metal grinder	(395)	1	NA	ND	ND	ND	ND	ND	Recovery on removal
Chromium Chromate	Printer	(396)	1	NA	+	ND	ND	ND	ND	
	Cement floorer	(397)	1	NA	ND	ND	ND	ND	+	
	Plaster	(398)	1	NA	+	ND	ND	ND	ND	
	Various	(399)	4	NA	+	ND	ND	ND	+	
Stellite (alloy containing 60% cobalt, 30% chromium, tungsten and carbon)	Machinist	(400)	1	NA	Negative to metals	ND	-	-	+	
	Welder	(401)	5	NA	ND	ND	ND	ND	100% of 2+	
Chromium & Nickel	Tanning	(402)	1	NA	-	+	ND	ND	+	
	Electroplating	(403)	7	NA	Cr 29%+ Ni 57% +	ND	ND	ND	Cr 100% of 7	
	Hard metal plant	(404)	8	NA	Cobalt: 75% Cobalt: 62% Nickel: 62% Nickel: 50%	ND	ND	Both cobalt and nickel		
Aluminium Aluminium tetrafluorides	Soldering	(405)	1	NA	ND	ND	ND	ND	+	
	Production line (using a flux)	(406)	3	NA	ND	ND	ND	ND	+	
Aluminium chloride	Foundry worker	(407)	1	NA	ND	ND	ND	ND	+	PEF recording
Aluminium hydroxide	Manufacture of wipers	(408)	1	NA	neg	ND	ND	ND	+	
Aluminium oxide (?) Fluorine (?) Aluminium	Worker handling	(409)	1	NA	ND	ND	ND	ND	+	
	Potroom	(410)	52	NA	ND	ND	ND	ND	ND	History
	Potroom	(411)	227	7%	ND	ND	ND	ND	ND	Questionnaire
	Potroom	(412)	35	NA	ND	ND	ND	ND	ND	History
	Potroom	(413)	57	NA	ND	ND	ND	ND	ND	History
	Potroom	(414)	1	NA	ND	ND	ND	ND	+	PEF monitoring
Manganese	Welder	(415)	1	NA	ND	ND	ND	ND	+	
<u>Drugs</u>										

Penicillins & Ampicillin Penicillamine Cephalosporins	Pharmaceutical	(416)	4	NA	100% negative	ND	ND	75% +	PEF Improvement off work ND
	Pharmaceutical	(417)	1	NA	ND	-	ND	+	
	Pharmaceutical	(418)	2	NA	+	ND	ND	+	
	Pharmaceutical	(419)	91	8%	71%+	ND	ND	ND	
	Pharmaceutical	(420)	161	15.5% (symptoms)	3.1%	17.4%	ELISA Inhibition	ND	
Colistin	Pharmaceutical	(421)	1	NA	ND	ND	ND	+	
Thiamphenicol	Pharmaceutical	(422)	3	NA	67 % +	67% +	ND	+	
7-aminocephalosporanic acid	Pharmaceutical	(423)	2	NA	+	+	RAST Inhibition	+	
Phenylglycine acid chloride hydrochloride	Pharmaceutical	(424)	24	29%	37% +	37% +	Passive transfer	100% of 2 +	
Psyllium	Laxative manuf.	(425)	3	NA	100%+	ND	ND	60% +	
	Pharmaceutical	(426)	130	4%	19% of 120+	26% of 118+	ND	27% of 18+	
	Nurses	(427)	5	NA	80%+	100% +	ND	100% +	
	Health personnel	(428)	193	4%	3%+	12% of 162 +	ND	26% of 15+	
Methyl dopa	Pharmaceutical	(429)	1	NA	-	ND	ND	+	
Spiramycin	Pharmaceutical	(430)	1	NA	+	ND	ND	+	
	Pharmaceutical	(431)	51	8 %	100%-	ND	ND	25% of 12+	
	Pharmaceutical	(432)	2	NA	ND	-	ND	+	
Salbutamol intermediate	Pharmaceutical	(433)	1	NA	-	ND	ND	+	
Amprolium	Poultry feed mixer	(434)	1	NA	ND	ND	ND	+	
Tetracycline	Pharmaceutical	(435)	1	NA	ND	ND	ND	+	
Isonicotinic acid hydrazide	Hospital pharmacy	(436)	1	NA	+	+	ND	+	
Hydralazine	Pharmaceutical	(437)	1	NA	-	-	Negative specific IgG	+	
Tylosin tartrate	Pharmaceutical	(438)	1	NA	ND	ND	ND	+	
Ipecacuanha	Pharmaceutical	(439)	42	48%	52% of 19+	66% of 18+	ND	ND	
Cimetidine	Pharmaceutical	(440)	4	NA	ND	ND	ND	25% +	
Thiamine	Cereal manufacture	(441)	1	NA	ND	-	ND	+	
Aescin	Pharmaceutical	(442)	1	NA	ND	ND	ND	+	
Lasamide (precursor of furosemide)	Chemical workers	(443)	3	NA	3 +	ND	ND	+	
5-aminosalicylic acid	Pharmaceutical	(444)	1	NA	neg	ND	ND	+	
Piperacillin	Pharmaceutical	(445)	1	NA	+	ND	ND	+	
Ceftazidime	Pharmaceutical	(446)	1	NA	ND	ND	ND	+	
Opiate compounds	Pharmaceutical	(447)	39	26%	+	ND	ND	ND	PEF
	Pharmaceutical	(448)	4	14%	+	+	ND	+	Pre-post shift FEV1
Amoxicillin	Pharmaceutical	(449)	1	NA	-	-	ND	+	

Vancomycin	Pharmaceutical	(450)	1	NA	ND	ND	ND	Histamine release	PEF
Mitoxantrone	Nurse	(451)	1	NA	ND	ND	ND	+	PEF; alveolar lavage
Tafenoquine	Pharmacist	(452)	1	NA	ND	Negative	ND	+	
Ranitidine	Packaging	(453)	1	NA	-	ND	ND	+	
(1,1-Ethylenediamine, N-[2-[[5-[(dimethylamino) methyl]-2-furanyl] methyl]thio]ethyl]- N'-methyl-2-nitro)	pharmaceutical								
Minoxidil	Beautician	(454)	1	NA	negative	ND	ND	negative (but changes in induced sputum and PC20)	
Ferrimanitol	Worker	(454)	1	NA	negative	ND	+ immunoblotting		
Ovalbumin (FMOA)	pharmaceutical company								
Clarithromycin	Worker	(454)	1	NA	negative	ND	ND	+	
Glucosamine	pharmaceutical company								
hydrochloride	Cleaner	(454)	1	NA	negative	ND	ND	+	
<u>Reactive dyes</u>									
Reactive dyes	Reactive dyes manufacture	(455)	309	25%	7%+ orange 8%+ black	17%+ orange 17%+ black	ND	65% of 20+	
	Wool dye house	(456)	6	NA	ND	83%+	100%+	ND	
	Textile dyehouse	(457)	162	NA	NA	85% of 5 +	ND	ND	
Levafix brilliant yellow E36	Preparation of dye solution	(458)	1	NA	+	ND	ND	+	
Drimaren brilliant yellow K-3GL	Textile industry	(459)	1	NA	+	ND	ND	+	
Black henna (<i>Indigofera argentea</i>)	Herbal shop sales	(460)	1	NA	+	+	ND	ND	PEF
FD&C blue dye #2	Food industry	(461)	1	NA	-	-	ND	+	

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests		Broncho- provocation test	Other evidence
							Other immunologic tests	Broncho- provocation test		
Cibachrome brilliant scarlet 32	Textile industry	(459)	1	NA	+	ND	ND	+		
Drimaren brilliant blue K-BL	Textile industry	(459)	1	NA	+	ND	ND	+		
Lanasol Yellow 4G	Dyer	(459)	1	NA	+	ND	ND	+		
Synozol Red-K 3BS	Textile worker	(462)	1	NA	+	+	ND	+		
Carmine	Dye manufacture	(463)	10	NA	30% +	30% +	ND	100% of 1		
Monascus ruber	Delicatessen plant	(464)	1	NA	+	ND	+ Immunoblotting	+	PC20	
Sudan red dye	Cosmetic packaging	(465)	1	NA	ND	ND	ND	+		
Indigo (Indigofera tinctoria)	Hairdressers	(466)	2	NA	+	ND	ND	+		
<u>Biocides</u>										
Hexachlorophene	Hospital staff (sterilizing agent)	(467)	1	NA	ND	ND	ND	+		
Chlorhexidine	Nurse	(468)	2	NA	ND	ND	ND	+		
Glutaraldehyde	Hospital endoscopy unit	(469)	9	89%	ND	ND	ND	ND	Questionnaire	
Ortho-phthalaldehyde	Endoscopy & Radiology	(470)	8	NA	ND	ND	ND	7/8 +	PEF monitoring	
	Endoscopy unit	(471)	1	NA	ND	ND	ND	ND	Improvement away from work	
Hydroxylamine	Paper recycling	(472)	3	NA	ND	ND	ND	1 +	PEF	
Peracetic acid-hydrogen peroxide mixture	Endoscopy unit	(473)	2	NA	ND	ND	ND	2 +	PEF	
Chloramine T	Chemical manufacturing	(474)	6	NA	100%+	ND	66%+ Passive transfer	ND		
	Brewery	(475)	7	NA	100%+	ND	ND	ND	Recovery with removal	
Chloramine (unspecified)	Janitor-cleaning	(476)	5	NA	100% of 4+	ND	ND	100% of 3+		
	Lifeguard	(477)	3	NA	ND	ND	ND	+	PEF	
Lauryl dimethyl benzyl ammonium chloride	Swimming teacher									
	Pharmacist	(478)	1	NA	ND	ND	ND	+	PEF	

Agent	Occupation	References	Subjects (n)		Prevalence	Skin test	Specific IgE	Other immunologic tests	Broncho- provocation	Other evidence
Chemicals										
Isothizolinone	Chemical plant	(479)	1	NA	ND	ND	ND	ND	+	
Triclosan	Nursery nurse	(480)	1	NA	ND	ND	ND	ND	+	PEF
Fungicides										
Tetracholoro-isophthalonitrile	Farmer	(481)	1	NA	ND	-	+ Patch test	+ Patch test	+	FEV1 recording at work
Tributyl tin oxide	Venipuncture technician	(482)	1	NA	-	ND	ND	ND	+	
Captafol	Chemical manufacturing	(483)	1	NA	-	ND	ND	ND	+	
Polyvinyl chloride (fumes)	Meat wrapper	(484)	96	69%	ND	ND	ND	27% of 11+		
Polyvinyl chloride (fumes and powder)	Meat wrapper	(485)	3	NA	ND	ND	ND	ND	History only	
Polyvinyl chloride (powder)	Wallpaper manufacturing	(486)	1	NA	+ (intradermal)	ND	ND	+	asthma to nickel	
Organic phosphate insecticides	Chemical packaging plant	(487)	1	NA	ND	ND	ND	ND	History only	
Tetramethrin	Extermination	(488)	1	NA	-	ND	ND	+	PC20	
Persulphate salts & henna	Hairdressing	(489)	2	NA	+	ND	ND	+		
	Hairdressing	(490)	2	NA	+	ND	ND	+		
	Hairdressing	(491)	23	17%	4% +	ND	ND	100% of 4+		
	Hairdressing	(492)	1	NA	-	ND	ND	+		
	Hairdressing	(493)	1	NA	ND	ND	ND	+		
Yellow and red henna	Hairdressing	(494)	1	NA	+	ND	ND	+	+ rhinomanometry	
Eugenol	Hairdressing	(495)	1	NA - (prick)+(patch)	ND	ND	Mononuclear proliferation	+		
Diazonium salt	Manufacturing of photocopy paper	(496)	1	NA	ND	ND	ND	+		
	Manufacture of fluorine polymer precursor	(497)	45	56	ND	20%+	ND	100% of 2		

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests	Broncho- provocation test	Other evidence
Urea formaldehyde	Resin	(498)	2	NA	-	ND	ND	+	
	Resin	(499)	3	NA	ND	ND	ND	100% of 3	
	Manufacture of foam	(500)	1	NA	ND	ND	ND	+	
Popcorn flavoring chemical	Popcorn makers	(501)	3	NA	ND	ND	ND	ND	
Freon (unspecified)	Refrigeration	(502)	1	NA	ND	ND	ND	+	
Furfuryl alcohol	Foundry mold								
(furan based resin)	making	(503)	1	NA	ND	ND	ND	+	
Styrene	Plastics factory	(504)	2	NA	-	ND	ND	+	
Azobisformamide	Plastics, rubber	(505)	151	18.5%	ND	ND	ND	ND	Removal with improvement
	Plastic	(506)	2	NA	ND	ND	ND	+	
	Plastics	(507)	4	NA	ND	ND	ND	100% of 2+	
Sodium isononanyl oxybenzene sulfonate	Laboratory technician	(508)	1	NA	ND	ND	ND	+	
Peptide coupling reagent (TBTU and HBTU)	Laboratory technician	(509)	1	NA	+	Negative	ND	+	
3-amino-5-mercaptop-1,2,4-triazole	Herbicide production	(510)	6	NA	ND	ND	Specific IgG	ND	PEF
Tetrazene	Detonator manufacture	(511)	1	NA	ND	ND	ND	+	PEF
Polyethylene	Paper packer	(512)	1	NA	ND	ND	ND	+	PEF
Tall oil	Rubber tyre manufacturer	(513)	1	NA	-	ND	Negative patch test	+	PEF
Sulfites unspecified	Water plant	(514)	1	NA	-	ND	ND	Oral +	
Sodium metabisulfite	Food processor	(515)	1	NA	ND	ND	ND	+	
Sodium bisulfite	Fishing industry	(516)	1	NA	ND	ND	ND	+	
Polypropylene	Bag manufacturer	(517)	1	NA	ND	ND	ND	+	PEF
Polyester	Painter	(518)	1	NA	ND	ND	ND	+	Alveolitis
Glacial acetic acid	Picking	(519)	1	NA	ND	ND	+	ND	
Ninhydrin	Laboratory worker	(520)	1	NA	ND	ND	ND	+	PEF
1,2-Benzisothizolin-3-one	Chemical worker	(521)	1	NA	ND	ND	ND	+	
3-Bromomethyl)-2-chloro-4-(methylsulfonyl)-benzoic acid (BCMBA)	Chemical factory worker	(522)	2	2/92 (2%)	+	ND	ND	+	
Metabisulfite	Agricultural producer	(515)	1	NA	ND	ND	ND	ND	

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests		Broncho- provocation	Other evidence
							Other immunologic tests	Broncho- provocation		
Tert-butylhydroquinone	Chemical plant producing antioxidants	(523)	1	NA	ND	ND	ND		+	
<u>Health Care</u>										
Ethylene oxyde	Nurse	(524)	1	NA	ND	+	ND	+	Changes in PC20	
Enflurane	Hospital staff	(525)	1	NA	ND	ND	ND	+		
Sevoflurane and isoflurane	Anesthesiology staff	(526)	3	NA	ND	ND	ND	+		
Methyl blue	Hospital staff	(527)	1	NA	ND	ND	ND	+		
Terpene	Hospital staff	(528)	1	NA	ND	ND	ND	+		
Radiographic fixative	Hospital staff	(529)	1	NA	ND	ND	ND	+		
Sulfathiazole	Hospital staff	(530)	2	NA	-	ND	ND	+		
Formaldehyde	Hospital staff	(531)	28	29%	ND	ND	ND	50% of 4+		
	Various industries	(532)	15	NA	ND	ND	ND	60% +		
	Various industries	(533)	230	5%	ND	ND	ND	5% +		
<u>Methyl methacrylate & cyanoacrylates</u>										
	Adhesive	(534)	7	NA	ND	ND	ND	86% +	PEF 14% +	
	Nurse	(535)	1	NA	ND	ND	ND	+		
	Glue	(536)	1	NA	ND	ND	ND	+	PEF	
	Fingernail	(537)	1	NA	ND	ND	ND	+		
	Various	(538)	55	NA	ND	ND	ND	+ in all		
Triacrylate (unspecified)	Printing	(539)	1	NA	ND	ND	ND	+		
Ethoxylated-2-bisphenol-A-diacrylate	Autobody shop	(540)	1	NA	ND	ND	ND	+		
<u>Synthetic Material</u>										
Plexiglass	Factory	(541)	1		ND	ND	ND	+	Pre-post change in FEV1	
Tooth enamel dust	Dentist	(542)	1	NA	ND	ND	ND	ND		
ECG ink	Laboratory nurse	(527)	1	NA	+	ND	ND	+		
<u>Unidentified agents (?)</u>										
(?)	Respiratory therapist	(543)	194	19	ND	ND	ND	ND	Questionnaire	
(?)	Mineral analysis laboratory	(544)	21	24%	ND	ND	ND	ND	Questionnaire	

Agent	Occupation	References	Subjects (n)	Prevalence	Skin test	Specific IgE	Other immunologic tests	PC20	
								Broncho-	Other evidence
(?) Oil mists	Toolsetter	(545)	1	NA	ND	ND	ND	+	PEF recording
(?) Metal working fluid	Automobile plant	(546)	12	1.5%	ND	ND	ND	ND	PC20, FEV1
(?)Pulverized fuel ash	Power station attendant	(547)	1	NA	ND	ND	ND	+	PEF monitoring
Acrylonitrile-Butadiene Styrene filaments (ABS)(?)	Auto-employé (3D printing)	(548)	1	NA	ND	ND	ND	ND	Worsening at work Improvement off-work

Legend: NA = not applicable; ND = not done; PEF: peak expiratory flows

Acknowledgements: A preliminary version of this table was prepared with the most appreciated contribution of Dr Moira Chan-Yeung from Vancouver (Canada) and published in the first edition of the book *Asthma in the Workplace* (Marcel Dekker, NY, 1993).

References

1. Venables KM, Tee RD, Hawkins ER, Gordon DJ, Wale CJ, Farrer NM, Lam TH, Baxter PJ, Newman-Taylor AJ. Laboratory animal allergy in a pharmaceutical company. *Br J Ind Med.* 1988;45:660-6.
2. Newman Taylor A, Longbottom JL, Pepys J. Respiratory allergy to urine proteins of rats and mice. *Lancet.* 1977;847-9.
3. Ylönen J, Mäntyjärvi R, Taivainen A, Virtanen T. IgG and IgE antibody responses to cow dander and urine in farmers with cow-induced asthma. *Clin Exper Allergy.* 1992;22:83-90.
4. Díaz-Jara M, Kao A, Ordoqui E, Zubeldia JM, Baeza ML. Allergy to cow bone dust. *Allergy.* 2001;56:1014.
5. Petry RW, Voss MJ, Kroutil LA, Crowley W, Bush RK, Busse WW. Monkey dander asthma. *J Allergy Clin Immunol.* 1985;75:268-71.
6. Nahm DH, Park JW, Hong CS. Occupational asthma due to deer dander. *Ann Allergy Asthma Immunol.* 1996;76:423-6.
7. Gomez I Jinénez, Anton E, Picans I, Jerez J, Obispo T. Occupational asthma caused by mink urine. *Allergy.* 1996;51:364-5.
8. Bar-Sela S, Teichtahl H, Lutsky I. Occupational asthma in poultry workers. *J Allergy Clin Immunol.* 1984;73:271-5.
9. Perfetti L, Cartier A, Malo JL. Occupational asthma in poultry-slaughterhouse workers. *Allergy.* 1997;52:594-5.
10. Ferrer A, Carnes J, Marco FM, Andreu C, Fernandez-Caldas E. Occupational allergic rhinoconjunctivitis and asthma to goat and cross-reactivity with cow epithelium. *Ann Allergy Asthma Immunol.* 2006;96:579-85.
11. Sastre I, Rodríguez-Perez R, García F, Juste S, Moneo I, Caballero ML. Occupational allergic rhinoconjunctivitis and bronchial asthma induced by goat cheese. *Occup Environ Med.* 2013;70:141-2.
12. Brennan NJ. Pig Butcher's asthma — case report and review of the literature. *Irish Med J.* 1985;78:321-2.
13. Donnay C, Barberas R, Kopferschmitt-Kubler MC, Pauli G, deBlay F. Sensitization to pig albumin and gamma-globulin responsible for occupational respiratory allergy. *Allergy.* 2006;61:143-4.
14. Armentia A, Martin-Santos J, Subiza J, Pla J, Zapata C, Valdivieso R, Losada E. Occupational asthma due to frogs. *Ann Allergy.* 1988;60:209-10.
15. Moneret-Vautrin DA, Pupil P, Courtine D, Grilliat JP. Asthme professionnel aux protéines du lactosérum. *Rev Fr Allergol.* 1984;24:93-5.
16. San-Juan S, Lezaun A, Caballero ML, Moneo I. Occupational allergy to raw beef due to cross-reactivity with dog epithelium. *Allergy.* 2005;60:839.
17. Joliat TL, Weber RW. Occupational asthma and rhinoconjunctivitis from inhalation of crystalline bovine serum albumin powder. *Ann Allergy.* 1991;66:301-4.
18. Toskala E, Piipari R, Aalto-Korte K, Tuppurainen M, Kuuliala O, Keskinen H. Occupational asthma and rhinitis caused by milk proteins. *J Occup Environ Med.* 2004;46:1100-1.
19. Olaguibel JM, Hernandez D, Morales P, Peris A, Basomba A. Occupational asthma caused by inhalation of casein. *Allergy.* 1990;45:306-8.

20. Smith A Blair, Bernstein DI, London MA, Gallagher J, Ornella GA, Gelletly SK, Wallingford D, Newman MA. Evaluation of occupational asthma from airborne egg protein exposure in multiple settings. *Chest*. 1990;98:398-404.
21. Breton JL, Leneutre F, Esculpavit G, Abourjaili M. Une nouvelle cause d'asthme professionnel chez un préparateur en pharmacie. *La Presse Médicale*. 1989;18:433.
22. El-Ansary EH, Gordon DJ, Tee RD, Newman-Taylor AJ. Respiratory allergy to inhaled bat guano. *Lancet*. 1987;1:316-8.
23. Armstrong RA, Neill P, Mossop RT. Asthma induced by ivory dust: a new occupational cause. *Thorax*. 1988;43:737-8.
24. Zedda S. A case of bronchial asthma from inhalation of nacre dust. *Med del Lavoro*. 1967;58:459-64.
25. Charpin J, Blanc M. Une cause nouvelle d'allergie professionnelle chez les coiffeuses: l'allergie à la séricine. *Marseille Médical*. 1967;104:169-70.
26. Swiderska-Kiełbik S, Krakowiak A, Wiszniewska M, Nowakowska-Świrta E, Walusiak-Skorupa J, Sliwkiewicz K, C C Pałczyński. Occupational allergy to birds within the population of Polish bird keepers employed in zoo gardens. *Int J Occup Med Environ Health*. 2011;24:292-303.
27. Potter PC, Ehrlich R, van Rooyen C, Fenemore B. Occupational sensitization to African penguin serum and mucus proteins. *Ann Allergy Asthma Immunol*. 2015;114:345-7.
28. Torrijos E Gómez, Diaz Y Méndez, Segade JM Borja, Brito JF Feo, Arias T lfaya, Bonilla PA Galindo, Fernandez A Ledesma, Rodríguez R García. Occupational allergic respiratory disease due to royal jelly. *Ann Allergy Asthma Immunol*. 2016;117:102-3.
29. Subiza J, Kilimajer J, Barjau C, Bravo F, Cases B, Caldas E Fernández. Occupational Asthma Caused by Actinia equina. *J Investig Allergol Clin Immunol*. 2018;28:277-8.
30. Cartier A, Malo J-L, Forest F, Lafrance M, Pineau L, St-Aubin J-J, Dubois J-Y. Occupational asthma in snow crab-processing workers. *J Allergy Clin Immunol*. 1984;74:261-9.
31. Gaddie J, Legge JS, Friend JAR, Reid TMS. Pulmonary hypersensitivity in prawn workers. *Lancet*. 1980;2:1350-3.
32. Jyo T, Kohmoto K, Katsutani T, Otsuka T, Oka SD, Mitsui S. Hoya (Sea-squirt) asthma. Occupational asthma. 1980;Von Nostrand Reinhold, London:209-28.
33. Desjardins A, Malo JL, L'Archevêque J, Cartier A, McCants M, Lehrer SB. Occupational IgE-mediated sensitization and asthma due to clam and shrimp. *J Allergy Clin Immunol*. 1995;96:608-17.
34. Lemière C, Desjardins A, Lehrer S, Malo JL. Occupational asthma to lobster and shrimp. *Allergy*. 1996;51:272-3.
35. Baur X, Huber H, Chen Z. Asthma to Gammarus shrimp. *Allergy*. 2000;55:96-7.
36. Goetz DW, Whisman BA. Occupational asthma in a seafood restaurant worker: cross-reactivity of shrimp and scallops. *Ann Allergy, Asthma & Immunol*. 2000;85:461-6.
37. Sogo A, Cruz MJ, Amengual MJ, Muñoz X. Identification of Pen m 4 as a potential cause of occupational asthma to Gammarus shrimp. *Clin Transl Allergy*. 2018;8:46.
38. Barraclough RM, Walker J, Hamilton N, Fishwick D, Curran AD. Sensitization to king scallop (*Pectin maximus*) and queen scallop (*Chlamys opercularis*) proteins. *Occup Med (Lond)*. 2006;56:63-6.
39. Tomaszunas S, Weclawik Z, Lewinski M. Allergic reactions to cuttlefish in deep-sea fishermen. *Lancet*. 1988;1:1116-7.

40. Beltrami V, Innocenti A, Pieroni MG, Civai R, Nesi D, Bianco S. Occupational asthma due to cuttle-fish bone dust. *Med Lav.* 1989;80:425-8.
41. Douglas JDM, McSharry C, Blaikie L, Morrow T, Miles S, Franklin D. Occupational asthma caused by automated salmon processing. *Lancet.* 1995;346:737-40.
42. Sherson D, Hansen I, Sigsgaard T. Occupationally related respiratory symptoms in trout-processing workers. *Allergy.* 1989;44:336-41.
43. Carral C Pérez, Martín-Lázaro J, Ledesma A, Torre F de la. Occupational asthma caused by turbot allergy in 3 fish-farm workers. *J Investig Allergol Clin Immunol.* 2010;20:349-51.
44. Altman LC, Ayars AG. A protocol to aid in the diagnosis of occupational asthma to Alaska pollock and Yellowfin sole. *Ann Allergy Asthma Immunol.* 2012;108:381-2.
45. Boulet LP, Laberge F. Occupational asthma to fish. *Occup Environ Med.* 2014 Nov;71(11):804.
46. Granslo JT, Do T Van, Aasen TB, Irgens A, Florvaag E. Occupational allergy to Artemia fish fry feed in aquaculture. *Occup Med.* 2009;59:243-8.
47. Onizuka R, Inoue K, Kamiya H. Red soft coral-induced allergic symptoms observed in spiny lobster fishermen. *Aerugi.* 1990;39:339-47.
48. Baldo BA, Krilis S, Taylor KM. IgE-mediated acute asthma following inhalation of a powdered marine sponge. *Clin Allergy.* 1982;12:179-86.
49. San-Juan S, Garces M, Caballero ML, Monzon S, Moneo I. Occupational asthma caused by shark cartilage dust. *J Allergy Clin Immunol.* 2004;114:1227-8.
50. Rosado A, Tejedor MA, Benito C, Cárdenas R, González-Mancebo E. Occupational asthma caused by octopus particles. *Allergy.* 2009;64:1101-2.
51. Rodriguez J, Reano M, vives R, Canto G, Daroca P, Crespo JF, Vila C, Villarreal O, Bensabat Z. Occupational asthma caused by fish inhalation. *Allergy.* 1997;52:866-9.
52. Wiszniewska M, Tymoszuk D, Pas-Wyrosłak A, Nowakowska-Swirta E, Chomiczewska-Skora D, Palczynski C, Walusiak-Skorupa J. Occupational allergy to squid (*Loligo vulgaris*). *Occup Med (Lond).* 2013 Jun;63(4):298-300.
53. Bertelsen RJ, Svanes O, Madsen AM, Hollund BE, Kirkeleit J, Sigsgaard T, Uhrbrand K, Do TV, Aasen TB, Svanes C. Pulmonary illness as a consequence of occupational exposure to shrimp shell powder. *Env Res.* 2016;148:491-9.
54. Armentia A, Lombardero M, Martinez C, Barber D, Vega JM, Callejo A. Occupational asthma due to grain pests *Eurygaster* and *Ephestia*. *J Asthma.* 2004;41:99-107.
55. Burge PS, Edge G, O'Brien IM, Harries MG, Hawkins R, Pepys J. Occupational asthma in a research centre breeding locusts. *Clin Allergy.* 1980;10:355-63.
56. Tee RD, Gordon DJ, Hawkins ER, Nunn AJ, Lacey J, Venables KM, Cooter RJ, McCaffery AR, Newman Taylor AJ. Occupational allergy to locusts: an investigation of the sources of the allergen. *J Allergy Clin Immunol.* 1988;81:517-25.
57. Gibbons HL, Dille JR, Cowley RG. Inhalant allergy to the screwworm fly. *Arch Environ Health.* 1965;10:424-30.

58. Miedinger D, Cartier A, Lehrer SB, Labrecque M. Occupational asthma to caddis flies (Phryganeiae). *Occup Environ Med* 2010 Jul;67(7):503 2010;67:503.
59. Bagenstose AH, Mathews KP, Homburger HA, Saaveard-Delgado AP. Inhalant allergy due to crickets. *J Allergy Clin Immunol*. 1980;65:71-4.
60. Stevenson DD, Mathews KP. Occupational asthma following inhalation of moth particles. *J Allergy*. 1967;39:274-83.
61. Siracusa A, Marcucci F, Spinozzi F, Marabini A, Pettinari L, Pace ML, Tacconi C. Prevalence of occupational allergy due to live fish bait. *Clin Exp Allergy*. 2003;33:507-10.
62. Randolph H. Allergic reaction to dust of insect origin. *JAMA*. 1934;103:560-2.
63. Wittich FW. Allergic rhinitis and asthma due to sensitization to the mexican bean weevil (*Zabrotes subfasciatus* boh.). *J Allergy*. 1940;12:42-5.
64. Spieksma FTM, Vooren PH, Kramps JA, Dijkman JH. Respiratory allergy to laboratory fruit flies (*Drosophila melanogaster*). *J Allergy Clin Immunol*. 1986;77:108-13.
65. de las Marinas MD, Felix R, Martorell C, Cerda JC, Bartolome B, Martorell A. Occupational asthma caused by exposure to *Ceratitis capitata* (Mediterranean fruit fly). *J Investig Allergol Clin Immunol*. 2014;24:194-6.
66. Ostrom NK, Swanson MC, Agarwal MK, Yunginger JW. Occupational allergy to honeybee-body dust in a honey-processing plant. *J Allergy Clin Immunol*. 1986;77:736-40.
67. Siracusa A, Bettini P, Bacoccoli R, Severini C, Verga A, Abbritti G. Asthma caused by live fish bait. *J Allergy Clin Immunol*. 1994;93:424-30.
68. Schroeckenstein DC, Meier-Davis S, Graziano FM, Falomo A, Bush RK. Occupational sensitivity to *Alphitobius diaperinus* (Panzer) (lesser mealworm). *J Allergy Clin Immunol*. 1988;82:1081-8.
69. Bernstein DI, Gallagher JS, Bernstein IL. Mealworm asthma: clinical and immunologic studies. *J Allergy Clin Immunol*. 1983;72:475-80.
70. Armentia A, Lombardero M, Barber D, Castrodeza J, Calderon S, Gil FJ, Callejo AM. Occupational asthma in an agronomist caused by the lentil pest *Bruchus lentis*. *Allergy*. 2003;58:1200-1.
71. Meister W. Professional asthma owing to *Daphnia*-allergy. *Allerg Immunol (Leipz)*. 1978;24:191-3.
72. Kaufman GL, Gandevia BH, Bellas TE, Tovey ER, Baldo BA. Occupational allergy in an entomological research centre. I Clinical aspects of reactions to the sheep blowfly *Lucilia cuprina*. *Br J Indust Med*. 1989;46:473-8.
73. Soparkar GR, Patel PC, Cockcroft DW. Inhalant atopic sensitivity to grasshoppers in research laboratories. *J Allergy Clin Immunol*. 1993;92:61-5.
74. Lopata AL, Fenemore B, MFJeebhay, Gade G, Potter PC. Occupational allergy in laboratory workers caused by the African migratory grasshopper *Locusta migratoria*. *Allergy*. 2005;60:200-5.
75. Gold BL, Mathews KP, Burge HA. Occupational asthma caused by sewer flies. *Am Rev Respir Dis*. 1985;131:949-52.
76. Liebers V, Hoernstein M, Baur X. Humoral immune response to the insect allergen Chi t I in aquarists and fish-food factory workers. *Allergy*. 1993;48:236-9.

77. Sheldon JM, Johnston JH. Hypersensitivity to beetles (Coleoptera). *J Allergy*. 1941;12:493-4.
78. Brito FF, Mur P, Barber D, Lombardero M, Galindo PA, Gómez E, Borja J. Occupational rhinoconjunctivitis and asthma in a wool worker caused by Dermestidae spp. *Allergy*. 2002;57:1191.
79. Alanko K, Tuomi T, Vanhanen M, Pajari-Backas M, Kanerva L, Havu K, Saarinen K, Bruynzeel DP. Occupational IgE-mediated allergy to *Tribolium confusum* (confused flour beetle). *Allergy*. 2000;55:879-82.
80. Marco G, Pelta R, Carnés J, Iraola V, Zambrano G, Baeza ML. Occupational allergic asthma induced by *Liposcelis decolor*. *Allergol Int*. 2016;65:210-1.
81. Uragoda CG, Wijekoon PMB. Asthma in silk workers. *J Soc Occup Med*. 1991;41:140-2.
82. Kobayashi S. Different aspects of occupational asthma in Japan. *Occupational asthma* CA Frazier ed. 1980;Van Nostrand Reinhold Company, New York, p229-244.
83. Nieuwenhuizen N, Lopata AL, Jeebhay MF, Herbert DR, Robins TG, Brombacher F. Exposure to the fish parasite Anisakis causes allergic airway hyperreactivity and dermatitis. *J Allergy & Clin Immunol*. 2006;117:1098-105.
84. Armentia A, Lombardero M, Callejo A, Santos JMM, Gil FJM, Vega J, Arranz ML, Martinez C. Occupational asthma by Anisakis simplex. *J Allergy Clin Immunol*. 1998;102:831-4.
85. Resta O, Foschino-Barbaro MP, Carnimeo N, Napoli PL Di, Pavese I, Schino P. Occupational asthma from fish-feed *Echinodorus plamosus* larva. *Med Lavoro*. 1982;3:234-6.
86. Lugo G, Cipolla C, Bonfiglioli R, Sassi C, Maini S, Cancellieri MP, Raffi GB, Pisi E. A new risk of occupational disease: allergic asthma and rhinoconjunctivitis in persons working with beneficial arthropods. *Int Arch Occup Envir Health*. 1994;65:291-4.
87. Lazaro MA Garcia, Muela RA, Irigoyen JA, Higuero NC, Alguacil PV, Gregorio AM de, Senent CJ. Occupational asthma caused by hypersensitivity to ground bugs. *J Allergy Clin Immunol*. 1997;99:267-8.
88. Feary J, Cannon J, Tarzi M, Wincell S, Welch J, Cullinan P. Occupational asthma from a horticultural nematode, *Steinernema feltiae*. *Lancet Respir Med*. 2015;3:e28-9.
89. Cuthbert OD, Jeffrey IG, McNeill HB, Wood J, Topping MD. Barn allergy among Scottish farmers. *Clin Allergy*. 1984;14:197-206.
90. Blainey AD, Topping MD, Ollier S, Davies RJ. Allergic respiratory disease in grain workers: the role of storage mites. *J Allergy Clin Immunol*. 1989;84:296-303.
91. Granel-Tena C, Cistero-Bahima A, Olive-Perez A. Allergens in asthma and baker's rhinitis. *Alergia*. 1985;32:69-73.
92. Groenewoud GCM, de Jong NW, Nes AJ van Oorschot-van, Vermeulen AM, van Toorenbergen AW, Mulder PGH, Burdorf A, de Groot H, van Wijk R Gerth. Prevalence of occupational allergy to bell pepper pollen in greenhouses in the Netherlands. *Clin & Exper Allergy*. 2002;32:434-40.
93. Lutsky I, Bar-Sela S. Northern fowl mite (*Ornithonyssus sylviarum*) in occupational asthma of poultry workers. *Lancet*. 1982;2:874-5.
94. Cuthbert OD, Brostoff J, Wraith DG, Brighton WD. "Barn allergy": asthma and rhinitis due to storage mites. *Clin Allergy*. 1979;9:229-36.

95. Michel FB, Guin JJ, Seignalet C, Rambier A, Martier JC, Caula F, Laveil G. Allergie à Panonychus ulmi (Koch). Rev Franç Allergol. 1977;17:93-7.
96. Kim YK, Son JW, Kim HY, Park HS, Lee MH, Cho SH, Min KU, Kim YY. New occupational allergen in citrus farmers: citrus red mite (Panonychus citri). Ann Allergy Asthma Immunol. 1999;82:223-8.
97. Carbonnelle M, Lavaud F, Bailly R. Les acariens de la vigne sont-ils susceptibles de provoquer une allergie respiratoire ? Rev fr Allergol. 1986;26:171-8.
98. Astarita C, Franzese A, Scala G, Sproviero S, Raucci G. Farm workers' occupational allergy to Tetranychus urticae: clinical and immunologic aspects. Allergy. 1994;49:466-71.
99. Lindström I, Karvonen H, Suuronen K, Suojalehto H. Occupational asthma from biological pest control in greenhouses. The journal of allergy and clinical immunology In practice. 2018;6:692-4.
100. Gottlieb SJ, Garibaldi E, Hutcheson PS, Slavin RG. Occupational asthma to the slime mold dictyostelium discoideum. JOM. 1993;35:1231-5.
101. Seaton A, Wales D. Clinical reactions to Aspergillus niger in a biotechnologyh plant: an eight year follow up. Occup Environ Med. 1994;51:54-6.
102. Kume H, Tomita H, Fukuhara A. [A CASE OF BRONCHIAL ASTHMA CAUSED BY EXPOSURE TO ASPERGILLUS ORYZAE IN A JAPANESE RICE WINE BREWERY WORKER]. Arerugi. 2022;71(4):321-7.
103. Jensen PA, Todd WF, Hart ME, Mickelsen RL, O'Brien DM. Evaluation and control of worker exposure to fungi in a beet sugar refinery. Am Ind Hyg Ass J. 1993;54:742-8.
104. Klaustermeyer WB, Bardana EJ, Hale FC. Pulmonary hypersensitivity to alternaria and aspergillus in baker's asthma. Clin Allergy. 1977;7:227-33.
105. Halpin DMG, Graneek BJ, Turner-Warwick M, Newman Taylor AJ. Extrinsic allergic alveolitis and asthma in a sawmill worker: case report and review of the literature. Occupational and Environmental Medicine. 1994;51:160-4.
106. Schaubenschlager WW, Becker WM, Mazur G, Godde M. Occupational sensitization to plasmopara viticola. J Allergy Clin Immunol. 1994;93:457-63.
107. Côté J, Chan H, Brochu G, Chan-Yeung M. Occupational asthma caused by exposure to neurospora in a plywood factory worker. Br J Ind Med. 1991;48:279-82.
108. Tarlo SM, Wai Y, Dolovich J, Summerbell R. Occupational asthma induced by Chrysonilia sitophila in the logging industry. J Allergy Clin Immunol. 1996;97:1409-13.
109. Monzón S, Gil J, Ledesma A, Ferrer L, Juan S San, Abós T. Occupational asthma IgE mediated due to Chrysonilia sitophila in coffee industry. Allergy. 2009;64:1686-7.
110. Gamboa PM, Jauregui I, Urrutia I, Antépara I, Gonzalez G, Mugica V. Occupational asthma in a coal miner. Thorax. 1996;51:867-8.
111. Guarneri F, Guarneri C, Cannavò SP, Guarneri B. Dyschromia of hands and bronchial asthma caused by sooty molds. Am J Clin Dermatol. 2008;9:341-3.

112. Talleu C, Delourme J, Dumas C, Wallaert B, Fournier C. Asthme allergique à la "fleur de saucisson". *Rev Mal Respir.* 2009;26:557-9.
113. Enríquez A, Fernández C, Jiménez A, Seoane E, Alcorta AR, Rodríguez J. Occupational asthma induced by Mucor species contaminating esparto fibers. *J Investig Allergol Clin Immunol.* 2011;21:251-2.
114. Symington IS, Kerr JW, McLean DA. Type I allergy in mushroom soup processors. *Clin Allergy.* 1981;11:43-7.
115. Michils A, de Vuyst P, Nolard N, Servais G, Duchateau J, Yernault JC. Occupational asthma to spores of *Pleurotus cornucopiae*. *Eur Respir J.* 1991;4:1143-7.
116. Torricelli R, Johansson SGO, Wuthrich B. Ingestive and inhalative allergy to the mushroom *Boletus edulis*. *Allergy.* 1997;52:747-51.
117. Venturini M, Lobera T, Blasco A, Pozo MD Del, Gonzalez I, Bartolome B. Occupational asthma caused by white mushroom. *J Investig Allergol Clin Immunol.* 2005;15:219-21.
118. Vereda A, Quirce S, Fernandez-Nieto M, Bartolome B, Sastre J. Occupational asthma due to spores of *Pleurotus ostreatus*. *Allergy.* 2007;62:211-2.
119. Jansen A, Vermeulen A, vanToorenbergen AW, Dieges PH. Occupational asthma in horticulture caused by *Lathyrus Odoratus*. *Allergy Proc.* 1995;16:135-9.
120. Belchi-Hernandez J, Mora-Gonzalez A, Iniesta-Perez J. Baker's asthma caused by *Saccharomyces cerevisiae* in dry powder form. *J Allergy Clin Immunol.* 1996;97:131-4.
121. Pravettoni V, Primavesi L, Piantanida M. Shiitake mushroom (*Lentinus edodes*): A poorly known allergen in Western countries responsible for severe work-related asthma. *Int J Occup Med Environ Health.* 2014 Oct;27(5):871-4.
122. Carneiro-Leão L, Carolino F, Pineda F, Miranda M, Plácido JL. A Possible New Mushroom Allergen in a Case of Occupational Asthma. *J Investig Allergol Clin Immunol.* 2019;29:243-4.
123. Ng TP, Tan WC, Lee YK. Occupational asthma in a pharmacist induced by Chlorella, a unicellular algae preparation. *Respir Med.* 1994;88:555-7.
124. Boulet LP. Algae-induced occupational asthma in a thalassotherapist. *Occup Med (Lond).* 2006;56:282-3.
125. Musk AW, Venables KM, Crook B, Nunn AJ, Hawkins R, Crook GDW, Graneek BJ, Tee RD, Farrer N, Johnson DA, Gordon DJ, Derbyshire JH, Newman-Taylor AJ. Respiratory symptoms, lung function, and sensitisation to flour in a British bakery. *Br J Ind Med.* 1989;46:636-42.
126. Block G, Tse KS, Kijek K, Chan H, Chan-Yeung M. Baker's asthma. *Clin Allergy.* 1983;13:359-70.
127. Sutton R, Skerritt JH, Baldo BA, Wrigley CW. The diversity of allergens involved in bakers' asthma. *Clin Allergy.* 1984;14:93-107.
128. Airaksinen L, Pallasaho P, Voutilainen R, Pesonen M. Occupational rhinitis, asthma, and contact urticaria caused by hydrolyzed wheat protein in hairdressers. *Ann Allergy Asthma Immunol.* 2013 Dec;111(6):577-9.
129. Valdivieso R, Quirce S, Sainz T. Bronchial asthma caused by *Lathyrus sativus* flour. *Allergy.* 1988;43:536-9.
130. Ordman D. Buckwheat allergy. *South African medical journal = Suid-Afrikaanse tydskrif vir geneeskunde.* 1947;21:737-9.

131. Pascual Erquicia S, Bernaola Abraira M, Dorado Arenas S, Urrutia Landa I, Arrizubieta Basterrechea I, Bronte Moreno O, Uranga Echeverria A, Zabala Hernandez T, Artaraz Ereno A, Jimeno Nogales L. Rhinconjunctivitis and Occupational Asthma due to Buckwheat Flour Allergy. *Arch Bronconeumol.* 2020 Mar 20;56:466-7.
132. Bernstein JA, Crandall MS, Floyd R. Respiratory sensitization of a food manufacturing worker to konjac glucomannan. *J Asthma.* 2007;44:675-80.
133. Campbell CP, Jackson AS, Johnson AR, Thomas PS, Yates DH. Occupational sensitization to lupin in the workplace: occupational asthma, rhinitis, and work-aggravated asthma. *J Allergy Clin Immunol.* 2007;119:1133-9.
134. Lluch-Perez M, Garcia-Rodriguez RM, Malet A, Amat P, Bartolomé B. Occupational allergy caused by marigold (*Tagetes erecta*) flour inhalation. *Allergy.* 2009;64:1100-1.
135. Guarnieri G, Bonadonna P, Olivieri E, Schiappoli M. Occupational asthma induced by quinoa exposure. *J Investig Allergol Clin Immunol.* 2019;29:451-2.
136. Solana E, Cruz MJ, Romero-Mesones C, Muñoz X. Concomitant hypersensitivity pneumonitis and occupational asthma caused by 2 different etiologic agents. *Ann Allergy Asthma Immunol.* 2019;122:424-5.
137. Hermanides HK, Boer AM Lahey-de, Zuidmeer L, Guikers C, Ree R van, Knulst AC. *Brassica oleracea* pollen, a new source of occupational allergens. *Allergy.* 2006;61:498-502.
138. Bousquet J, Dhivert H, Clauzel AM, Hewitt B, Michel FB. Occupational allergy to sunflower pollen. *J Allergy Clin Immunol.* 1985;75:70-5.
139. Atis S, Tutluoglu B, Sahin K, Yaman M, Küçükusta AR, Oktay I. Sensitization to sunflower pollen and lung functions in sunflower processing workers. *Allergy.* 2002;57:35-9.
140. Blanco C, Carrillo T, Wuiralte J, Pascual C, Esteban M M, Castillo R. Occupational rhinoconjunctivitis and bronchial asthma due to *Phoenix canariensis* pollen allergy. *Allergy.* 1995;50:277-80.
141. Anguita JL, Palacios L, Ruiz-Valenzuela L, Bartolome B, Lopez-Urbano MJ, Pedro B Saenz de San, Cano E, Quiralte J. An occupational respiratory allergy caused by *Sinapis alba* pollen in olive farmers. *Allergy.* 2007;62:447-50.
142. Bolhaar STHP, van Ginkel CJW. Occupational allergy to cyclamen. *Allergy.* 2000;55:411-2.
143. Gil M, Hogendijk S, Hauser C. Allergy to eggplant flower pollen. *Allergy.* 2002;57:652.
144. Groenewoud GCM, de Jong NW, Burdorf A, de Groot H, van Wyk R Gerth. Prevalence of occupational allergy to *Chrysanthemum* pollen in greenhouses in the Netherlands. *Allergy.* 2002;57:835-40.
145. Miesen WM, Heide S vander, Kerstjens HA, Dubois AE, de Monchy JG. Occupational asthma due to IgE mediated allergy to the flower *Molucella laevis* (Bells of Ireland). *Occup Environ Med.* 2003;60:701-3.
146. Demir AU, Karakaya G, Kalyoncu AF. Allergy symptoms and IgE immune response to rose: an occupational and an environmental disease. *Allergy.* 2002;57:936-9.
147. Yates B, DeSoyza A, Harkawat R, Stenton C. Occupational asthma caused by *Arabidopsis thaliana*: a case of laboratory plant allergy. *Eur Respir J.* 2008;32:1111-2.

148. Chan-Yeung M, Schulzer M, MacLean L, Dorken E, Grzybowski S. Epidemiologic health survey of grain elevator workers in British Columbia. *Am Rev Respir Dis.* 1980;121:329-38.
149. Williams N, Skoulas A, Merriman JE. Exposure to grain dust. I. A survey of the effects. *JOM.* 1964;6:319-29.
150. Skoulas A, Williams N, Merriman JE. Exposure to grain dust. II. A clinical study of the effects. *JOM.* 1964;6:359-72.
151. Chan-Yeung M, Wong R, MacLean L. Respiratory abnormalities among grain elevator workers. *Chest.* 1979;75:461-7.
152. Merget R, Sander I, van Kampen V, Raulf M, Brüning T. Triticale allergy in a farmer. *Am J Ind Med.* 2016;59:501-5.
153. Kim JH, Choi GS, Kim JE, Ye YM, Park HS. Three cases of rice-induced occupational asthma. *Ann Allergy Asthma Immunol.* 2010;104:353-4.
154. Picon SJ, Carmona JGB, Sotillos MDMG. Occupational asthma caused by vetch (*Vicia sativa*). *J Allergy Clin Immunol.* 1991;88:135-6.
155. Jones RN, Hughes JM, Lehrer SB, Butcher BT, Glindmeyer HW, Diem JE, Hammad YY, Salvaggio J, Weill H. Lung function consequences of exposure and hypersensitivity in workers who process green coffee beans. *Am Rev Respir Dis.* 1982;125:199-202.
156. Zuskin E, Valic F, Kanceljak B. Immunological and respiratory changes in coffee workers. *Thorax.* 1981;36:9-13.
157. Osterman K, Johansson SGO, Zetterstrom O. Diagnostic tests in allergy to green coffee. *Allergy.* 1985;40:336-43.
158. Panzani R, Johansson SGO. Results of skin test and RAST in allergy to a clinically potent allergen (castor bean). *Clin Allergy.* 1986;16:259-66.
159. Igea JM, Fernandez M, Quirce S, Hoz B de la, Gomez MLD. Green bean hypersensitivity: an occupational allergy in a homemaker. *J Allergy Clin Immunol.* 1994;94:33-5.
160. VanderBempt X, Ledent C, Mairesse M. Rhinitis and asthma caused by occupational exposure to carob bean flour. *J Allergy Clin Immunol.* 1992;90:1008-10.
161. Tonini S, Perfetti L, Pignatti P, Pala G, Moscato G. Occupational asthma induced by exposure to lima bean (*Phaseolus lunatus*). *Ann Allergy Asthma Immunol.* 2012;108:66-7.
162. Harris-Roberts J, Robinson E, Fishwick D, Fourie A, Rees D, Spies A, Curran A, Sen D, Barber C. Sensitization and symptoms associated with soybean exposure in processing plants in South Africa. *Am J Ind Med.* 2012;55:458-64.
163. Foti C, Nettis E, Cassano N, Damiani E, Carino M, Vena GA. Non-allergic occupational asthma because of almond shell dust. *Allergy.* 2008;63:1087-8.
164. Shirai T, Sato A, Hara Y. Epigallocatechin gallate. The major causative agent of green tea-induced asthma. *Chest.* 1994;106:1801-5.
165. Blanc PD, Trainor WD, Lim DT. Herbal tea asthma. *Br J Ind Med.* 1986;43:137-8.
166. Gleich GJ, Welsh PW, Yunginger JW, Hyatt RE, Catlett JB. Allergy to tobacco: an occupational hazard. *N Engl J Med.* 1980;302:617-9.
167. Lander F, Gravesen S. Respiratory disorders among tobacco workers. *Br J Ind Med.* 1988;45:500-2.
168. Park HK, Jeon SG, Kim TB, Kang HR, Chang YS, Kim YK, Cho SH, Min KU, Kim YY. Occupational asthma and rhinitis induced by a herbal medicine, Wonji (*Polygala tenuifolia*). *J Korean Med Sci.* 2005;20:46-9.

169. Perez E, Blanco C, Bartolome B, Ortega N, Castillo R, Dumpierrez AG, Almeida L, Carrillo T. Occupational rhinoconjunctivitis and bronchial asthma due to Acalypha wilkesiana allergy. *Ann Allergy Asthma Immunol.* 2006;96:719-22.
170. Newmark FM. Hops allergy and terpene sensitivity: an occupational disease. *Ann Allergy.* 1978;41:311-2.
171. Twiggs JT, Yunginger JW, Agarwal MK, Reed CE. Occupational asthma in a florist caused by the dried plant, baby's breath. *J Allergy Clin Immunol.* 1982;69:474-7.
172. van Toorenbergen AW, Dieges PH. Occupational allergy in horticulture: demonstration of immediate-type allergic reactivity to freesia and paprika plants. *Int Archs Allergy Appl Immun.* 1984;75:44-7.
173. Monso E, Magarolas R, Badorre I, Radon K, Nowak D, Morera J. Occupational asthma in greenhouse flower and ornamental plant growers. *Am J Respir Crit Care Med.* 2002;165:954-60.
174. Jansen APH, Visser FJ, Nierop G, Jong NW De, Raadt J Waanders-De Lijster De, Vermeulen A, Toorenbergen AW van. Occupational asthma to amaryllis. *Allergy.* 1996;51:847-9.
175. Rudzki E, Rapiejko P, Rebandel P. Occupational contact dermatitis, with asthma and rhinitis, from camomile in a cosmetician also with contact urticaria from both camomile and lime flowers. *Contact Dermatitis.* 2003;49:162.
176. Vandenplas O, Pirson F, D'Alpaos V, Borgh T Vander, Thimpong J, Pilette C. Occupational asthma caused by chamomile. *Allergy.* 2008;63:1090-2.
177. Piirila P, Kanerva L, Alanko K, Estlander T, Keskinen H, Pajari-Backas M, Tuppurainen M. Occupational IgE-mediated asthma, rhinoconjunctivitis, and contact urticaria caused by Easter lily (*Lilium longiflorum*) and tulip. *Allergy.* 1999 Mar;54(3):273-7.
178. Quirce S, Garcia-Figueroa B, Olaguibel JM, Muro MD, Tabar AI. Occupational asthma and contact urticaria from dried flowers of *Limonium tataricum*. *Allergy.* 1993;48(4):285-90.
179. Vidal C, Bartolomé B, González-Quintela A. Occupational asthma to fresh sea lavender and cross-reactivity to sweet vernal grass pollen. *Ann Allergy Asthma Immunol.* 2007;99:576-7.
180. Piirila P, Keskinen H, Leino T, Tupasel O, Tuppurainen M. Occupational asthma caused by decorative flowers: review and case reports. *Int Arch Occup Environ Health.* 1994;66:131-6.
181. Compes E, Bartolome B, Fernandez-Nieto M, Sastre J, Cuesta J. Occupational asthma from dried flowers of *Carthamus tinctorius* (safflower) and *Achillea millefolium* (yarrow). *Allergy.* 2006;61:1239-40.
182. Kanerva L, Makinen-Kijunen S, Kiistala R, Gralund H. Occupational allergy caused by spathe flower (*Spathiphyllum wallisii*). *Allergy.* 1995;50:174-8.
183. Moya CC, Hernandez AP, Calatayud MD, Baixauli EB, Salom JM Berto, Sastre A. Allergy to peach. *Allergy.* 2002;57:756-7.
184. Garcia BE, Lombardero M, Echechipia S, Olaguibel JM, Diaz-Perales A, Sanchez-Monge R, Barber D, Salcedo G, Tabard AI. Respiratory allergy to peach leaves and lipid-transfer proteins. *Clin & Exper Allergy.* 2004;34:291-5.
185. Victorio-Puche L, Somoza ML, Martin-Pedraza L, Fernandez-Caldas E, Abel Fernandez E, Moran M, Subiza JL, Lopez-Sanchez JD, Villalba M, Blanca M. *Prunus persica* 9, a new occupational allergen from peach tree pollen involved in rhinitis and asthma. *Occup Environ Med.* 2021 Feb;78(2):142-4.
186. Merget R, Raulf M, Sander I. Occupational immediate type allergy to soapnut and quillaja bark. *Allergol Select.* 2021;5:77-81.

187. Hannu T, Kauppi P, Tuppurainen M, Piirilä P. Occupational asthma to ivy (*Hedera helix*). *Allergy*. 2008;63:482-3.
188. Zee JS van der, Jager KSN de, Kuipers BF, Stapel SO. Outbreak of occupational allergic asthma in a stephanotis floribunda nursery. *J Allergy Clin Immunol*. 1999;103:950-2.
189. Park HS, Kim MJ, Moons HB. Occupational asthma caused by two herb materials, *Dioscorea batatas* and *Pinellia ternata*. *Clin Exp Allergy*. 1994;24:575-81.
190. Grob M, Wuthrich B. Occupational allergy to the umbrella tree (*Schefflera*). *Allergy*. 1998;53:1008-9.
191. Giavina-Bianchi PF, Castro FFM, Machado MLS, Duarte AJS. Occupational respiratory allergic disease induced by *Passiflora alata* and *Rhamnus purshiana*. *Ann Asthma, Allergy & Immunol*. 1997;79:449-54.
192. Vandenplas O, Depelchin S, Toussaint G, Delwiche JP, Weyer R Vande, Saint-Remy JM. Occupational asthma caused by sarsaparilla root dust. *J Allergy Clin Immunol*. 1996;97:1416-8.
193. Benzarti M, Tlili MS, Klabi N, Hassayoun H, Ammar M Ben, Jerray M, Djenayah F. Asthme aux tourteaux d'olives. *Rev fr Allergol*. 1986;26:205-7.
194. Subiza J, Subiza JL, Escribano PM, Hinojosa M, Garcia R, Jerez M, Subiza E. Occupational asthma caused by Brazil ginseng dust. *J Allergy Clin Immunol*. 1991;88:731-36.
195. Lee LY, Lee YD, Bahn JW, Park HS. A case of occupational asthma and rhinitis caused by Sanyak and Korean ginseng dusts. *Allergy*. 2006;61:392-3.
196. Hinojosa M, Moneo I, Cuevas M, Diaz-Mateo P, Subiza J, Losada E. Occupational asthma caused by *Voacanga africana* seed dust. *J Allergy Clin Immunol*. 1987;79:574-8.
197. Quirce S, Fernández-Nieto M, Pastor C, Sastre B, Sastre J. Occupational asthma due to tampico fiber from agave leaves. *Allergy*. 2008;63:943-5.
198. Valdivieso R, Subiza J, Varela-Losada S, Subiza JL, Narganes MJ, Martinez-Cocera C, Cabrera M. Bronchial asthma, rhinoconjunctivitis, and contact dermatitis caused by onion. *J Allergy Clin Immunol*. 1994;94:928-30.
199. Navarro JA, Pozo MD del, Gastaminza G, Moneo I, Audicana MT, Corres LD de. *Allium cepa* seeds: a new occupational allergen. *J Allergy Clin Immunol*. 1995;96:690-3.
200. Schwartz HJ, Jones RT, Rojas AR, Squillace DL, Yunginger JW. Occupational allergic rhinoconjunctivitis and asthma due to fennel seed. *Ann Allergy Asthma Immunol*. 1997;78:37-40.
201. Alday E, Curiel G, Lopez-Gil MJ, Carreno D. Occupational Hypersensitivity to sesame seeds. *Allergy*. 1996;51:69-70.
202. Vandenplas O, D'Alpaos V, César M, Collet S, Tafforeau M, Thimpont J. Occupational asthma caused by linseed oilcake. *Allergy*. 2008;63:1250-1.
203. Subiza J, Subiza JL, Hinojosa M, Varela S, Cabrera M, Marco F. Occupational asthma caused by grass juice. *J Allergy Clin Immunol*. 1995;96:693-5.
204. Quirce S, Gomez ML Diez, Hinojosa M, Cuevas M, Urena V, Rivas MF, Puyana J, Cuesta J, Losada E. Housewives with raw potato-induced bronchial asthma. *Allergy*. 1989;44:532-6.

205. Lindström I, Hölttä P, Airaksinen L, Suuronen K, Suomela S, Suojalehto H. Occupational asthma, rhinitis and contact urticaria from greenhouse work. *Occup Med (Lond)*. 2023; 73: 470-8.
206. Guarneri F, Barbuzza O, Vaccaro M, Galtieri G. Allergic contact dermatitis and asthma caused by limonene in a labourer handling citrus fruits. *Contact Dermatitis*. 2008;58:315-6.
207. Moreno-Ancillo A, Gil-Adrados AC, Dominguez-Noche C, Cosmes PM, Pineda F. Occupational asthma due to carrot in a cook. *Allergol Immunopathol*. 2005;33:288-90.
208. Lopez-Rubio A, Rodriguez J, Crespo JF, Vives R, Daroca P, Reano M. Occupational asthma caused by exposure to asparagus: detection of allergens by immunoblotting. *Allergy*. 1998;53:1216-20.
209. Miralles JC, Negro JM, Sanchez-Gascon F, Garcia M, Pascual A. Occupational rhinitis/asthma to courgette. *Allergy*. 2000;55:407-8.
210. Quirce S, Madero MF, Fernández-Nieto M, Jiménez A, Sastre J. Occupational asthma due to the inhalation of cauliflower and cabbage vapors. *Allergy*. 2005;60:969.
211. Sekiya R, Nagano T, Moriyama T, Kishi T, Shinke H, Yano E, Hatano N, Katsurada M, Umezawa K, Katsurada N, Hori S, Hazeki N, Fukunaga A, Yamamoto M, Kamiryo H, Shinohara M, Kobayashi K, Kotani Y, Nishimura Y. Occupational respiratory allergy to lettuce in lettuce farmers. *Clin Exp Allergy*. 2020 Jun 15;50:932-41.
212. Schuller A, Morisset M, Maadi F, Sarda MN Kolopp, Fremont S, Parisot L, Kanny G, Moneret-Vautrin DA. Occupational asthma due to allergy to spinach powder in a pasta factory. *Allergy*. 2005;60:408-9.
213. Lucas D, Vallet R, Kamga A, Obstler JB, Mialon P, Dewitte JD, Loddé B, Gourier G. Occupational asthma induced by exposure to celeriac. *The journal of allergy and clinical immunology In practice*. 2022 Oct;10(10):2754-5.
214. Parra FM, Lazaro M, Cuevas M, Ferrando MC, Martin JA, Lezaun A, Alonso MD, Sanchez-Cano M. Bronchial asthma caused by two unrelated vegetables. *Annals of Allergy*. 1993;70(4):324-7.
215. Rubin JM, Duke MB. Unusual cause of bronchial asthma. Cacoon seed used for decorative purposes. *NY State J Med*. 1974;538-9.
216. Bueso A, Rodríguez-Perez R, Rodríguez M, Dionicio J, Pérez-Pimiento A, Caballero ML. Occupational allergic rhinoconjunctivitis and bronchial asthma induced by *Plukenetia volubilis* seeds. *Occup Environ Med*. 2010;67:797-8.
217. Cadot P, Kochuyt AM, Deman R, Stevens EAM. Inhalative occupational and ingestive immediate-type allergy caused by chicory (*Cichorium intybus*). *Clin Exp Allergy*. 1996;26:940-4.
218. Kwaselow A, Rowe M, Sears-Ewald D, Ownby D. Rose hips: a new occupational allergen. *J Allergy Clin Immunol*. 1990;85:704-8.
219. Falleroni AE, Zeiss CR, Levitz D. Occupational asthma secondary to inhalation of garlic dust. *J Allergy Clin Immunol*. 1981;68:156-60.
220. Lybarger JA, Gallagher JS, Pulver DW, Litwin A, Brooks S, Bernstein IL. Occupational asthma induced by inhalation and ingestion of garlic. *J Allergy Clin Immunol*. 1982;69:448-54.
221. Cartier A, Malo JL, Labrecque M. Occupational asthma due to liquorice roots. *Allergy*. 2002;57:863.
222. Ruiz-Hornillos FJ, Fernández M De Barrio, Molina PT, Marcén IS, Fernandez GD, Sotés MR, Ocariz MLde. Occupational asthma due to esparto hypersensitivity in a building worker. *Allergy Asthma Proc*. 2007;28:571-3.

223. vanToorenbergen AW, Dieges PH. Immunoglobulin E antibodies against coriander and other spices. *J Allergy Clin Immunol*. 1985;76:477-81.
224. Feo F, Martinez J, Martinez A, Galindo PA, Cruz A, Garcia R, Guerra F, Palacios R. Occupational allergy in saffron workers. *Allergy*. 1997;52:633-41.
225. Lemière C, Cartier A, Lehrer SB, Malo JL. Occupational asthma caused by aromatic herbs. *Allergy*. 1996;51:647-9.
226. Catilina P, Chamoux A, Gabrillargues D, Catilina MJ, Royfe MH, Wahl D. Contribution à l'étude des asthmes d'origine professionnelle: l'asthme à la poudre de lycopode. *Arch Mal Prof*. 1988;49:143-8.
227. Axelsson IGK, Johansson SGO, Zetterstrom O. Occupational allergy to weeping fig in plant keepers. *Allergy*. 1987;42:161-7.
228. Starr JC, Yunginger J, Brahser GW. Immediate type I asthmatic response to henna following occupational exposure in hairdressers. *Ann Allergy*. 1982;48:98-9.
229. Dugue J, Bel J, Figueredo M. Le fenugrec responsable d'un nouvel asthme professionnel. *La Presse Médicale*. 1993;22:922.
230. Fraj J, Lezaun A, Colas C, Duce F, Dominguez MA, Alonso MD. Occupational asthma induced by aniseed. *Allergy*. 1996;51:337-9.
231. Kern DG, Kohn R. Occupational asthma following kapok exposure. *J Asthma*. 1994;31:243-50.
232. Paris C, Herin F, Penven E, Thaon I, Richard C, Jacquet S, Barbaud A, Poussel M. First evidence of occupational asthma to argan powder in a cosmetic factory. *Allergy*. 2015;71:550-5.
233. Poussel M, Penven E, Richard C, Jacquet S, Chabot F, Paris C. Occupational asthma to "the miracle tree" (*Moringa oleifera*): first description. *The journal of allergy and clinical immunology In practice*. 2015;3:813-4.
234. Torrijos E Gómez, Rodríguez C García, Rodríguez R García, Díaz Y Mendez, Brito FJ Feo. Occupational asthma and rhinoconjunctivitis by melon plant allergy. *Ann Allergy Asthma Immunol*. 2015;114:417-8.
235. Knight D, Lopata AL, Nieuwenhuizen N, Jeebhay MF. Occupational asthma associated with bleached chlorine-free cellulose dust in a sanitary pad production plant. *Am J Ind Med*. 2018;61:952-8.
236. Lachance P, Cartier A, Dolovich J, Malo J-L. Occupational asthma from reactivity to an alkaline hydrolysis derivative of gluten. *J Allergy Clin Immunol*. 1988;81:385-90.
237. Lavaud F, Perdu D, Prévost A, Vallerand H, Cossart C, Passemard F. Baker's asthma related to soybean lecithin exposure. *Allergy*. 1994;49:159-62.
238. Kraut A, Peng Z, Becker AB, Warren CPW. Christmas candy maker's asthma. IgG4-mediated pectin allergy. *Chest*. 1992;102:1605-7.
239. Tarlo SM, Wong L, Roos J, Booth N. Occupational asthma caused by latex in a surgical glove manufacturing plant. *J Allergy Clin Immunol*. 1990;85:626-31.
240. Vandenplas O, Delwiche JP, Evrard G, Aimont P, Brempt X van der, Jamart J, Delaunois L. Prevalence of occupational asthma due to latex among hospital personnel. *Am J Respir Crit Care Med*. 1995;151:54-60.
241. Akkaya A, Ornek XZ, Kaleli S. Occupational asthma, eosinophil and skin prick tests and serum total IgE values of the workers in a plant manufacturing rose oil. *Asian Pacific Journal of Allergy and Immunology*. 2004;22:103-8.

242. Juniper CP, How MJ, Goodwin BFJ. Bacillus subtilis enzymes: a 7-year clinical, epidemiological and immunological study of an industrial allergen. *J Soc Occup Med.* 1977;27:3-12.
243. Franz T, McMurrain KD, Brooks S, Bernstein IL. Clinical, immunologic, and physiologic observations in factory workers exposed to *B. subtilis* enzyme dust. *J Allergy.* 1971;47:170-9.
244. Colten HR, Polakoff PL, Weinstein SF, Strieder DJ. Immediate hypersensitivity to hog trypsin resulting from industrial exposure. *N Engl J Med.* 1975;292:1050-3.
245. Baur X, Konig G, Bencze K, Fruhmann G. Clinical symptoms and results of skin test, RAST and bronchial provocation test in thirty-three papain workers: evidence for strong immunogenic potency and clinically relevant "proteolytic effects of airborne papain". *Clin Allergy.* 1982;12:9-17.
246. Cartier A, Malo J-L, Pineau L, Dolovich J. Occupational asthma due to pepsin. *J Allergy Clin Immunol.* 1984;73:574-7.
247. Wiessmann KJ, Baur X. Occupational lung disease following long-term inhalation of pancreatic extracts. *Eur J Respir Dis.* 1985;66:13-20.
248. Pauwels R, Devos M, Callens L, Straeten M Van der. Respiratory hazards from proteolytic enzymes. *Lancet.* 1978;1:669.
249. Cortona G, Beretta F, Traina G, Nava C. Preliminary investigation in a pharmaceutical industry: bromelin induced pathology. *Med Lavoro.* 1980;1:70-5.
250. Galleguillos F, Rodriguez JC. Asthma caused by bromelin inhalation. *Clin Allergy.* 1978;8:21-4.
251. Bernstein JA, Kraut A, Warrington RJ, Bolin T, Bernstein DI. Clinical and immunologic evaluation of a worker with occupational asthma from exposure to egg lysozyme. *J Allergy Clin Immunol.* 1991;87:201 (abstract).
252. Baur X, Fruhmann G, Haug B, Rasche B, Reiher W, Weiss W. Role of *Aspergillus amylase* in baker's asthma. *Lancet.* 1986;1:43.
253. Birnbaum J, Latil F, Vervloet D, Senft M, Charpin J. Rôle de l'alpha-amylase dans l'asthme du boulanger. *Rev Mal Respir.* 1988;5:519-21.
254. Baur X, Melching-Kollmuss S, Koops F, Straßburger K, Zober A. IgE-mediated allergy to phytase - a new animal feed additive. *Allergy.* 2002;57:943-5.
255. Baur X, Weiss W, Sauer W, Fruhmann G, Kimm KW, Ulmer WT, Mezger VA, Woitowitz HJ, Steurich FK. Baking components as a contributory cause of baker's asthma. *Dtsch Med Wschr.* 1988;113:1275-8.
256. Park HS, Nahm DH. New occupational allergen in a pharmaceutical industry: serralial peptidase and lysozyme chloride. *Ann Allergy Asthma Immunol.* 1997;78:225-9.
257. Zachariae H, Høegh-Thomsen J, Witmeur O, Wide L. Detergent enzymes and occupational safety. Observations on sensitization during Esperase® production. *Allergy.* 1981;36:513-6.
258. Tarvainen K, Kanerva L, Tupasela O, Grenquist-norden B, Jolanki R, Estlander T, Keskinen H. Allergy from cellulase and xylanase enzymes. *Clin Exper Allergy.* 1991;21:609-15.
259. Sen D, Wiley K, Williams JG. Occupational asthma in fruit salad processing. *Clin Exp Allergy.* 1998;28:363-7.
260. Muir DCF, Verrall AB, Julian JA, Millman HM, Beaudin MA, Dolovich J. Occupational sensitization to lactase. *Am J Ind Med.* 1997;31:570-1.

261. Bahn JW, Lee JY, Jang SH, Kim SH, Kim HM, Park HS. Sensitization to Empynase(pronase B) in exposed hospital personnel and identification of the Empynase allergen. *Clin Exp Allergy*. 2006;36:352-8.
262. Jensen A, Dahl S, Sherson D, Sommer B. Respiratory complaints and high sensitization rate at a rennet-producing plant. *Am J Ind Med*. 2006;49:858-61.
263. Veza S, Rodríguez-Perez R, Carretero P, Juste S, Caballero ML. Occupational allergic bronchial asthma induced by Lallzyme EX-V, an enzymatic blend sourced from *Aspergillus niger* used as additive in the wine industry. *Occup Environ Med*. 2015;72:237-8.
264. Poussel M, Penven E, Essari LA, Chabot F, Barbaud A, Paris C. Occupational Asthma to Detergent Protease Associated With a Late-Phase Neutrophilic Cutaneous Response. *J Investig Allergol Clin Immunol*. 2017;27:60-2.
265. Torrijos E Gómez, Rodriguez C García, Pérez B Veleiro, Bartolomé B, Barragan M Prado, Rodriguez R Garcia. Occupational allergic respiratory disease (rinoconjunctivitis and asthma) in a cheese factory worker. *The journal of allergy and clinical immunology In practice*. 2018;6:1416-7.
266. Fowler PBS. Printers'asthma. *Lancet*. 1952;2:755-7.
267. Bohner CB, Sheldon JM, Trenis JW. Sensitivity to gum acacia, with a report of ten cases of asthma in printers. *J Allergy*. 1941;12:290-4.
268. Gelfand HH. The allergenic properties of vegetable gums: a case of asthma due to tragacanth. *J Allergy*. 1943;14:203-19.
269. Feinberg SM, Schoenkerman BB. Karaya and related gums as causes of atopy. *Wisconsin Med J*. 1940;39:734.
270. Malo JL, Cartier A, L'Archevêque J, Ghezzo H, Soucy F, Somers J, Dolovich J. Prevalence of occupational asthma and immunological sensitization to guar gum among employees at a carpet- manufacturing plant. *J Allergy Clin Immunol*. 1990;86:562-9.
271. Boxer MB, Grammer LC, Orfan N. Gutta-percha allergy in a health care worker with latex allergy. *J Allergy Clin Immunol*. 1994;93:943-4.
272. Butcher BT, Salvaggio JE, Weill H, Ziskind MM. Toluene diisocyanate (TDI) pulmonary disease: immunologic and inhalation challenge studies. *J Allergy Clin Immunol*. 1976;58:89-100.
273. Butcher BT, O'Neil CE, Reed MA, Salvaggio JE. Radioallergosorbent testing of toluene diisocyanate-reactive individuals using p-tolyl isocyanate antigen. *J Allergy Clin Immunol*. 1980;66:213-6.
274. Baur X, Fruhmann G. Specific IgE antibodies in patients with isocyanate asthma. *Chest*. 1981;80:73S-6S.
275. Paggiaro PL, Filieri M, Loi AM, Roselli MG, Cantalupi R, Parlanti A, Toma G, Baschieri L. Absence of IgG antibodies to TDI-HSA in a radioimmunological study. *Clin Allergy*. 1983;13:75-9.
276. Mapp CE, Boschetto P, Vecchio L Dal, Maestrelli P, Fabbri LM. Occupational asthma due to isocyanates. *Eur Respir J*. 1988;1:273-9.
277. Zammit-Tabona M, Sherkin M, Kijek K, Chan H, Chan-Yeung M. Asthma caused by diphenylmethane diisocyanate in foundry workers. Clinical, bronchial provocation, and immunologic studies. *Am Rev Respir Dis*. 1983;128:226-30.
278. Tse KS, Johnson A, Chan H, Chan-Yeung M. A study of serum antibody activity in workers with occupational exposure to diphenylmethane diisocyanate. *Allergy*. 1985;40:314-20.

279. Liss GM, Bernstein DI, Moller DR, Gallagher JS, Stephenson RL, Bernstein IL. Pulmonary and immunologic evaluation of foundry workers exposed to methylene diphenyldiisocyanate (MDI). *J Allergy Clin Immunol*. 1988;82:55-61.
280. Harris MG, Burge PS, Samson M, Taylor AJ, Pepys J. Isocyanate asthma: Respiratory symptoms due to 1,5 naphthylene diisocyanate. *Thorax*. 1979;34:762-6.
281. Clarke CW, Aldons PM. Isophorone diisocyanate induced respiratory disease (IPDI). *Aust NZ J Med*. 1981;11:290-2.
282. Vandenplas O, Cartier A, Lesage J, Perrault G, Grammer LC, Malo JL. Occupational asthma caused by a prepolymer but not the monomer of toluene diisocyanate (TDI). *J Allergy Clin Immunol*. 1992;89:1183-8.
283. Vandenplas O, Cartier A, Lesage J, Cloutier Y, Perreault G, Grammer LC, Shaughnessy MA, Malo JL. Prepolymers of hexamethylene diisocyanate (HDI) as a cause of occupational asthma. *J Allergy Clin Immunol*. 1993;91:850-61.
284. Séguin P, Allard A, Cartier A, Malo JL. Prevalence of occupational asthma in spray painters exposed to several types of isocyanates, including polymethylene polyphenylisocyanates. *JOM*. 1987;29:340-4.
285. O'Brien IM, Harries MG, Burge PS, Pepys J. Toluene di-isocyanate-induced asthma. I. Reactions to TDI, MDI, HDI and histamine. *Clin Allergy*. 1979;9:1-6.
286. Baur X, Dewair M, Fruhmann G. Detection of immunologically sensitized isocyanate workers by RAST and intracutaneous skin tests. *J Allergy Clin Immunol*. 1984;73:610-8.
287. Cartier A, Grammer L, Malo JL, Lagier F, Ghezzo H, Harris K, Patterson R. Specific serum antibodies against isocyanates: association with occupational asthma. *J Allergy Clin Immunol*. 1989;84:507-14.
288. Pezzini A, Riviera A, Paggiaro P, Spiazzi A, Gerosa F, Filieri M, Toma G, Tridente G. Specific IgE antibodies in twenty-eight workers with diisocyanate-induced bronchial asthma. *Clin Allergy*. 1984;14:453-61.
289. Piirila P, Estlander T, Keskinen H, Jolanki R, Laakkonen A, Pfaffli P, Tupasela O, Tuppurainen M, Nordman H. Occupational asthma caused by triglycidyl isocyanurate (TGIC). *Clin Exp Allergy*. 1997;27:510-4.
290. Kanerva L, Keskinen H, Autio P, Estlander T, Tuppurainen M, Jolanki R. Occupational respiratory and skin sensitization caused by polyfunctional aziridine hardener. *Clin Exp Allergy*. 1995;25:432-9.
291. Hannu T, Frilander H, Kauppi P, Kuuliala O, Alanko K. IgE-Mediated Occupational Asthma from Epoxy Resin. *Int Arch Allergy Immunol*. 2009;148:41-4.
292. Jacobsen I Brock, Baelum J, Carstensen O, Skadhauge LR, Feary J, Cullinan P, Sherson DL. Delayed occupational asthma from epoxy exposure. *Occup Med (Lond)*. 2019;69:511-4.
293. Maccia CA, Bernstein IL, Emmett EA, Brooks SM. In vitro demonstration of specific IgE in phthalic anhydride hypersensitivity. *Amer Rev Resp Dis*. 1976;113:701-4.
294. Fawcett IW, Newman-Taylor AJ, Pepys J. Asthma due to inhaled chemical agents - epoxy resin systems containing phthalic acid anhydride, trimellitic acid anhydride and triethylene tetramine. *Clin Allergy*. 1977;7:1-14.
295. Wernfors M, Nielsen J, Schutz A, Skerfving S. Phthalic anhydride-induced occupational asthma. *Int Arch Allergy Appl Immunol*. 1986;79:77-82.

296. Nielsen J, Welinder H, Schütz A, Skerfving S. Specific serum antibodies against phthalic anhydride in occupationally exposed subjects. *J Allergy Clin Immunol*. 1988;82:126-33.
297. Zeiss CR, Patterson R, Pruzansky JJ, Miller MM, Rosenberg M, Levitz D. Trimellitic anhydride-induced airway syndromes: clinical and immunologic studies. *J Allergy Clin Immunol*. 1977;60:96-103.
298. Schlueter DP, Banaszak EF, Fink JN, Barboriak J. Occupational asthma due to tetrachlorophthalic anhydride. *JOM*. 1978;20:183-7.
299. Howe W, Venables KM, Topping MD, Dally MB, Hawkins R, Law JS, Newman Taylor AJ. Tetrachlorophthalic anhydride asthma: evidence for specific IgE antibody. *J Allergy Clin Immunol*. 1983;71:5-11.
300. Meadow J. Asthma and atopy in workers with an epoxy adhesive. *Br J Dis Chest*. 1980;74:149-54.
301. Nielsen J, Welinder H, Skerfving S. Allergic airway disease caused by methyl tetrahydrophthalic anhydride in epoxy resin. *Scand J Work Environ Health*. 1989;15:154-5.
302. Chee CBE, Lee HS, Cheong TH, Wang YT. Occupational asthma due to hexahydrophthalic anhydride: a case report. *Brit J Indus Med*. 1991;48:643-5.
303. Drexler H, Weber A, Letzel S, Kraus G, Schaller KH, Lehnert G. Detection and clinical relevance of a type I allergy with occupational exposure to hexahydrophthalic anhydride and methyltetrahydrophthalic anhydride. *Int Arch Occup Envir Health*. 1994;65:279-83.
304. Rosenman KD, Bernstein DI, O'Leary K, Gallagher JS, D'Souza L, Bernstein IL. Occupational asthma caused by himic anhydride. *Scand J Work Environ Health*. 1987;13:150-4.
305. Keskinen H, Pfaffli P, Lelttari P, Tupasela O, Tuomi T, Tuppurainen M, Hameila M, Kanerva L, Nordman H. Chlorendic anhydride allergy. *Allergy*. 2000;55:98-9.
306. Lee HS, Lang YT, Cheong TH, Tan KT, Chee BE, Narendran K. Occupational asthma due to maleic anhydride. A case report diagnosed by inhalation challenge test. *Br J Ind Med*. 1991;48:283-5.
307. Cipolla C, Belisario A, Sassi C, Auletti G, Nobile M, Raffi GB. Occupational asthma due to diocetyl-phthalate in a bottle stopper production worker. *Med del Lavoro*. 1999;90:513-8.
308. Gelfand HH. Respiratory allergy due to chemical compounds encountered in the rubber, lacquer, shellac, and beauty culture industries. *J Allergy*. 1963;34:374-81.
309. Lam S, Chan-Yeung M. Ethylenediamine-induced asthma. *Am Rev Respir Dis*. 1980;121:151-5.
310. Laborde-Castérot H, Villa AF, Rosenberg N, Dupont P, Lee HM, Garnier R. Occupational rhinitis and asthma due to EDTA-containing detergents or disinfectants. *Am J Ind Med*. 2012;55:677-82.
311. Vandenplas O, Rifflart C, Evrard G, Thimpong J, Seed M, Agius R. Occupational asthma caused by an epoxy amine hardener. *Occup Med (Lond)*. 2017;67:722-4.
312. Ng TP, Lee HS, Malik MA, Chee CBE, Cheong TH, Wang YT. Asthma in chemical workers exposed to aliphatic polyamines. *Occup Med*. 1995;45:45-8.
313. Aleva RM, Aalbers R, Koëter GH, Monchy JGR de. Occupational asthma caused by a hardener containing an aliphatic and cycloliphatic diamine. *Am Rev Respir Dis*. 1992;145:1217-8.

314. Savonius B, Keskinen H, Tuppurainen M, Kanerva L. Occupational asthma caused by ethanolamines. *Allergy*. 1994;49:877-81.
315. Pepys J, Pickering CAC. Asthma due to inhaled chemical fumes - amino-ethyl ethanolamine in aluminium soldering flux. *Clin Allergy*. 1972;2:197-204.
316. Sterling GM. Asthma due to aluminium soldering flux. *Thorax*. 1967;22:533-7.
317. Vallières M, Cockcroft DW, Taylor DM, Dolovich J, Hargreave FE. Dimethyl ethanolamine-induced asthma. *Am Rev Respir Dis*. 1977;115:867-71.
318. Sargent EV, Mitchell CA, Brubaker RE. Respiratory effects of occupational exposure to an epoxy resin system. *Arch Env Health*. 1976;31:236-40.
319. Pepys J, Pickering CAC, Loudon HWG. Asthma due to inhaled chemical agents - piperazine dihydrochloride. *Clin Allergy*. 1972;2:189-96.
320. Hagmar L, Bellander T, Bergöö B, Simonsson BG. Piperazine-induced occupational asthma. *JOM*. 1982;24:193-7.
321. Welinder H, Hagmar L, Gustavsson C. IgE antibodies against piperazine and N-methyl-piperazine in two asthmatic subjects. *Int Arch Allergy Appl Immunol*. 1986;79:259-62.
322. Belin L, Wass U, Audunsson G, Mathiasson L. Amines: possible causative agents in the development of bronchial hyperreactivity in workers manufacturing polyurethanes from isocyanates. *Br J Ind Med*. 1983;40:251-7.
323. Walters GI, Moore VC, Robertson AS, McGrath EE, Parkes E, Burge PS. Occupational asthma from sensitisation to 4,4-methylene-bismorpholine in clean metalworking fluid. *Eur Respir J*. 2013 Oct;42(4):1137-9.
324. Silberman DE, Sorrell AH. Allergy in fur workers with special reference to paraphenylenediamine. *J Allergy*. 1959;30:11-8.
325. Helaskoski E, Suojalehto H, Virtanen H, Airaksinen L, Kuuliala O, Aalto-Korte K, Pesonen M. Occupational asthma, rhinitis, and contact urticaria caused by oxidative hair dyes in hairdressers. *Ann Allergy Asthma Immunol*. 2014 Jan;112(1):46-52.
326. Miguere N, Debaille C, Walusiak-Skorupa J, Lipińska-Ojrzanowska A, Munoz X, van Kampen V, Suojalehto H, Suuronen K, Seed M, Lee S, Rifflart C, Godet J, de Blay F, Vandenplas O. Occupational Asthma Caused by Quaternary Ammonium Compounds: A Multicenter Cohort Study. *The journal of allergy and clinical immunology In practice*. 2021 Apr 30;9:3387-95.
327. Bernstein JA, Stauder T, Bernstein DI, Bernstein IL. A combined respiratory and cutaneous hypersensitivity syndrome induced by work exposure to quaternary amines. *J Allergy Clin Immunol*. 1994;94:257-9.
328. Lambourn EM, Hayes JP, McAllister WA, Newman Taylor AJ. Occupational asthma due to EPO 60. *Br J Ind Med*. 1992;49:294-5.
329. Burge PS, Harries MG, O'Brien I, Pepys J. Bronchial provocation studies in workers exposed to the fumes of electronic soldering fluxes. *Clin Allergy*. 1980;10:137-49.
330. Burge PS, Edge G, Hawkins R, White V, Taylor AN. Occupational asthma in a factory making flux-cored solder containing colophony. *Thorax*. 1981;36:828-34.
331. Weir DC, Robertson AS, Jones S, Burge PS. Occupational asthma due to soft corrosive soldering fluxes containing zinc chloride and ammonium chloride. *Thorax*. 1989;44:220-3.
332. Stevens JJ. Asthma due to soldering flux: a polyether alcohol-polypropylene glycol mixture. *Ann Allergy*. 1976;36:419-22.
333. Moore VC, Burge PS. Occupational asthma to solder wire containing an adipic acid flux. *Eur Respir J*. 2010;36:962-3.

334. Suresh K, Belchis D, Askin F, Pearse DB, Terry PB. Occupational Asthma Due to Inhalation of Aerosolized Lipophilic Coating Materials. *Lung.* 2016;194:787-9.
335. Milne J, Gandevia B. Occupational asthma and rhinitis due to western (canadian) red cedar. *Med J Aust.* 1969;2:741-4.
336. Ishizaki T, Sluda T, Miyamoto T, Matsumara Y, Mizuno K, Tomaru M. Occupational asthma from Western red cedar dust (*Thuja plicata*) in furniture factory workers. *JOM.* 1973;15:580-5.
337. Chan-Yeung M, Barton GM, MacLean L, Grzybowski S. Occupational asthma and rhinitis due to western red cedar (*thuja plicata*). *Am Rev Respir Dis.* 1973;108:1094-102.
338. Chan-Yeung M, Lam S, Koerner S. Clinical features and natural history of occupational asthma due to western red cedar (*thuja plicata*). *Am J Med.* 1982;72:411-5.
339. Chan-Yeung M, Vedral S, Kus J, Maclean L, Enarson D, Tse KS. Symptoms, pulmonary function, and bronchial hyperreactivity in Western Red Cedar workers compared with those in office workers. *Am Rev Respir Dis.* 1984;130:1038-41.
340. Malo JL, Cartier A, L'Archevêque J, Trudeau C, Courteau JP, Bhére L. Prevalence of occupational asthma among workers exposed to eastern white cedar. *Am J Respir Crit Care Med.* 1994;150:1697-701.
341. Chan-Yeung M, Abboud R. Occupational asthma due to californian redwood (*sequoia sempervirens*) dusts. *Am Rev Respir Dis.* 1976;114:1027-31.
342. doPico GA. Asthma due to dust from redwood (*sequoia sempervirens*). *Chest.* 1978;73:424-5.
343. Greenberg M. Respiratory symptoms following brief exposure to cedar of Lebanon (*cedra libani*) dust. *Clin Allergy.* 1972;2:219-24.
344. Wittczak T, Dudek W, Walusiak-Skorupa J, Bochenska-Marciniak M, Nowakowska-Swirta E, Kuna P, Palczynski C. Occupational asthma due to spruce wood. *Occup Med (Lond).* 2012;62:301-4.
345. Eaton KK. Respiratory allergy to exotic wood dust. *Clin Allergy.* 1973;3:307-10.
346. Pickering CAC, Batten JC, Pepys J. Asthma due to inhaled wood dusts - western red cedar and iroko. *Clin Allergy.* 1972;2:213-8.
347. Azofra J, Olaguibel JM. Occupational asthma caused by iroko wood. *Allergy.* 1989;44:156-8.
348. Ricciardi L, Fedele R, Saitta S, Tigano V, Mazzeo L, Fogliani O, Barber D, Isola S. Occupational asthma due to exposure to iroko wood dust. *Ann Allergy Asthma Immunol.* 2003;91:393-7.
349. Sosman AJ, Schlueter DP, Fink JN, Barboriak JJ. Hypersensitivity to wood dust. *New Engl J Med.* 1969;281:977-80.
350. Malo JL, Cartier A, Desjardins A, Weyer R Vande, Vandepenas O. Occupational asthma caused by oak wood dust. *Chest.* 1995;108:856-8.
351. Booth BH, Lefoldt RH, Moffitt EM. Hypersensitivity to wood dust. *J Allergy Clin Immunol.* 1976;57:352-7.
352. Hinojosa M, Moneo I, Dominguez J, Delgado E, Losada E, Alcover R. Asthma caused by African maple (*Triplochiton scleroxylon*) wood dust. *J Allergy Clin Immunol.* 1984;74:782-6.
353. Reijula K, Kujala V, Latvala J. Sauna builder's asthma caused by obeche (*Triplochiton scleroxylon*) dust. *Thorax.* 1994;49:622-3.
354. Krawczyk-Szulc P, Wiszniewska M, Pałczyński C, Nowakowska-Świrta E, Kozak A, Walusiak-Skorupa J. Occupational asthma caused by samba (*Triplochiton scleroxylon*) wood dust in a professional maker of wooden models of airplanes: A case study. *Int J Occup Med Environ Health.* 2014;27:512-9.

355. Paggiaro PL, Cantalupi R, Filieri M, Loi AM, Parlanti A, Toma G, Baschieri L. Bronchial asthma due to inhaled wood dust: tanganyika aningre. *Clin Allergy*. 1981;11:605-10.
356. Sotillos MM Garces, Carmona JG Blanco, Picon S Juste, Gaston P Rodriguez, Gimenez R Perez, Gil LA. Occupational asthma and contact urticaria caused by mukali wood dust (*Aningeria robusta*). *J Invest Allergol Clin Immunol*. 1995;5:113-4.
357. Bush RK, Clayton D. Asthma due to central american walnut (*Juglans olanchana*) dust. *Clin Allergy*. 1983;13:389-94.
358. Ordman D. Wood dust as an inhalant allergen. Bronchial asthma caused by keajaat wood (*Pterocarpus angolensis*). *S Afr Med*. 1949;23:973-5.
359. Bush RK, Yunginger JW, Reed CE. Asthma due to african zebrawood (*microberlinia*) dust. *Am Rev Respir Dis*. 1978;117:601-3.
360. Hinojosa M, Losada E, Moneo I, Dominguez J, Carrillo T, Sanchez-Cano M. Occupational asthma caused by African maple(Obeche) and Ramin: evidence of cross reactivity between these two woods. *Clin Allergy*. 1986;16:145-53.
361. Raghuprasad PK, Brooks SM, Litwin A, Edwards JJ, Bernstein IL, Gallagher J. Quillaja bark (soapbark)-induced asthma. *J Allergy Clin Immunol*. 1980;65:285-7.
362. Hausen BM, Herrmann B. Bow-makers disease: an occupational disease in the manufacture of wooden bows for string instruments. *Dtsch Med Wochenschr*. 1990;115:169-73.
363. Malo J-L, Cartier A. Occupational asthma caused by exposure to ash wood dust (*Fraxinus americana*). *Eur Respir J*. 1989;2:385-7.
364. Fernandez-Rivas M, Pérez-Carral C, Senent CJ. Occupational asthma and rhinitis caused by ash (*Fraxinus excelsior*) wood dust. *Allergy*. 1997;52:196-9.
365. Basomba A, Burches E, Almodovar A, Rojas D Hernandez F. de. Occupational rhinitis and asthma caused by inhalation of *Balfourodendron riedelianum* (Pau Marfim) wood dust. *Allergy*. 1991;46:316-8.
366. Innocenti A, Romeo R, Mariano A. Asthma and systemic toxic reaction due to cabreuva (*Myrocarpus fastigiatus Fr. All.*) wood dust. *Med del Lavoro*. 1991;82:446-50.
367. Maestrelli P, Marcer G, Dal Vecchio L. Occupational asthma due to ebony wood (*Diospyros crassiflora*) dust. *Ann Allergy*. 1987;59:347-9.
368. Reques FG, Fernandez RP. Asthme professionnel à un bois exotique. *Nesorgordonia papaverifera* (danta ou kotibe). *Rev Mal Respir*. 1988;5:71-3.
369. Uragoda CG. Asthma and other symptoms in cinnamon workers. *Br J Ind Med*. 1984;41:224-7.
370. Jeebhay MF, Prescott R, Potter PC, Ehrlich RI. Occupational asthma caused by imbuia wood dust. *J Allergy Clin Immunol*. 1996;97:1025-7.
371. Wood-Baker R. Occupational asthma due to Blackwood (*Acacia Melanoxyylon*). *Aus NZ J Med*. 1997;27:452-3.
372. Obata H, Dittrick M, Chan H, Chan-Yeung M. Occupational asthma due to exposure to African Cherry (Makore) wood dust. *Intern Med*. 2000;39:947-9.
373. Higuero NC, Zabala BB, Villamuza Y García, Gómez C Mogío, Gregorio A Moral de, Sanchez C Senent. Occupational asthma caused by IgE-mediated reactivity to *Antiaris* wood dust. *J Allergy Clin Immunol*. 2001;107:554-5.

374. Alvarez-Cuesta C, Ortiz G Gala, Diaz E Rodriguez, Barrios S Blanco, Osuna C Galache, Aguado C Raya, Pineda F. Occupational asthma and IgE-mediated contact dermatitis from sapele wood. *Contact Dermatitis*. 2004;51:88-98.
375. Algranti E, Mendonca EM, Ali SA, Kokron CM, Raile V. Occupational asthma caused by Ipe (*Tabebuia* spp) dust. *J Investig Allergol Clin Immunol*. 2005;15:81-3.
376. Alday E, Gomez M, Ojeda P, Caballero ML, Moneo I. IgE-mediated asthma associated with a unique allergen from Angelim pedra (*Hymenolobium petraeum*) wood. *J Allergy Clin Immunol*. 2005;115:634-6.
377. Eire MA, Pineda F, Losada SV, Cuesta CG de la, Villalva MM. Occupational rhinitis and asthma due to cedroarana (*Cedrelinga catenaeformis* Ducke) wood dust allergy. *J Investig Allergol Clin Immunol*. 2006;16:385-7.
378. Tomioka K, Kumagai S, Kameda M, Kataoka Y. A case of occupational asthma induced by falcata wood (*Albizia falcataria*). *J Occup Health*. 2006;48:392-5.
379. Lee LT, Tan KL. Occupational asthma due to exposure to chengal wood dust. *Occup Med (Lond)*. 2009;59:357-9.
380. Doyen V, Kesphol S, Sohy C, Jadot I, Rifflart C, Thimpont J, de Lovinfosse S, Raulf M, Vandenplas O. Eosinophilic occupational asthma caused by padauk wood dust. *The Journal of Allergy and Clinical Immunology in Practice*. 2023; 11:3240-3241.
381. Malo JL, Cartier A, Boulet LP. Occupational asthma in sawmills of eastern Canada and United States. *J Allergy Clin Immunol*. 1986;78:392-8.
382. Pepys J, Pickering CAC, Hughes EG. Asthma due to inhaled chemical agents-complex salts of platinum. *Clin Allergy*. 1972;2:391-6.
383. Brooks SM, Baker DB, Gann PH, Jarabeck AM, Hertzberg V, Gallagher J, Biagini RE, Bernstein IL. Cold air challenge and platinum skin reactivity in platinum refinery workers. *Chest*. 1990;97:1401-07.
384. Thanasis E, Polychronakis I, Kampen V van, Brüning T, Merget R. Occupational Immediate-Type Allergic Asthma due to Potassium Tetrachloroplatinate in Production of Cytotoxic Drugs. *Adv Exp Med Biol*. 2013;755:47-53.
385. McConnell LH, Fink JN, Schlueter DP, Schmidt MG. Asthma caused by nickel sensitivity. *Ann Int Med*. 1973;78:888-90.
386. Block GT, Yeung M. Asthma induced by nickel. *JAMA*. 1982;247:1600-2.
387. Malo JL, Cartier A, Doepner M, Nieboer E, Evans S, Dolovich J. Occupational asthma caused by nickel sulfate. *J Allergy Clin Immunol*. 1982;69:55-9.
388. Hartmann AL, Walter H, Wuthrich B. Allergisches berufsasthma auf pektinase, ein pektolytisches enzym. *Schweiz Med Wschr*. 1983;113:265-7.
389. Gheysens B, Auxwerx J, Eeckhout A Van Den, Demedts M. Cobalt-induced bronchial asthma in diamond polishers. *Chest*. 1985;88:740-4.
390. Muñoz X, Cruz MJ, Freixa A, Guardino X, Morell F. Occupational Asthma Caused by Metal Arc Welding of Iron. *Respiration*. 2009;78:455-9.
391. Daenen M, Rogiers Ph, Van de Walle C, Rochette F, Demedts M, Nemery B. Occupational asthma caused by palladium. *Eur Respir J*. 1999;13:213-6.

392. Merget R, Sander I, van Kampen V, Raulf-Heimsoth M, Ulmer HM, Kulze R, Bruening T. Occupational immediate-type asthma and rhinitis due to rhodium salts. *Amer J Ind Med.* 2010;53:42-6.
393. Malo J-L, Cartier A. Occupational asthma due to fumes of galvanized metal. *Chest.* 1987;92:375-7.
394. Vogelmeier C, König G, Bencze K, Fruhmann G. Pulmonary involvement in zinc fume fever. *Chest.* 1987;92:946-9.
395. Bruckner HC. Extrinsic asthma in a tungsten carbide worker. *J Occup Med.* 1967;9:518-9.
396. Smith AR. Chrome poisoning with manifestations of sensitization. *JAMA.* 1931;94:95-8.
397. deRaeve H, Vandecasteele C, Demedts M, Nemery B. Dermal and respiratory sensitization to chromate in a cement floorer. *Am J Ind Med.* 1998;34:169-76.
398. Joules H. Asthma from sensitization to chromium. *Lancet.* 1932;2:182-3.
399. Park HS, Yu HJ, Jung KS. Occupational asthma caused by chromium. *Clin Exp Allergy.* 1994;24:676-81.
400. Hannu T, Piipari R, Tuppurainen M, Tuomi T. Occupational asthma due to welding fumes from stellite. *J Occup Environ Med.* 2007;49:473-4.
401. Keskinen G, Kalliomaki PL, Alanko K. Occupational asthma due to stainless steel welding fumes. *Clin Allergy.* 1980;10:151-9.
402. Novey HS, Habib M, Wells ID. Asthma and IgE antibodies induced by chromium and nickel salts. *J Allergy Clin Immunol.* 1983;72:407-12.
403. Bright P, Burge PS, O'hickey SP, Gannon PFG, Robertson AS, Boran A. Occupational asthma due to chrome and nickel electroplating. *Thorax.* 1997;52:28-32.
404. Shirakawa T, Kusaka Y, Fujimura N, Kato M, Heki S, Morimoto K. Hard metal asthma: cross immunological and respiratory reactivity between cobalt and nickel. *Thorax.* 1990;45:267-71.
405. Vandenplas O, Delwiche JP, Vanbilzen ML, Roosels J, Joly D. Occupational asthma caused by aluminium welding. *Eur Respir J.* 1998;11:1182-4.
406. Laštovková A, Klusáčková P, Fenclová Z, Bonneterre V, Pelcová D. Asthma caused by potassium aluminium tetrafluoride: a case series. *Ind Health.* 2015;53:562-8.
407. Burge PS, Scott JA, McCoach J. Occupational asthma caused by aluminium. *Allergy.* 2000;55:779-80.
408. Tiotiu A, Thaon I, Poussel M, Penven E. Occupational asthma caused by powder paint in the automotive industry. *J Investig Allergol Clin Immunol.* 2019;29:316-8.
409. **Pilia MF, Espejo D, Soler D, Muñoz X.** Occupational asthma caused by exposure to alumina. *J Investig Allergol Clin Immunol.* 2024; 34: 270-2.
410. Midttun O. Bronchial asthma in the aluminium industry. *Acta Allerg.* 1960;15:208-21.
411. Saric M, Godnic-Cvar J, Gonzi M, Stilinovic L. The role of atopy in potroom workers' asthma. *Am J Ind Med.* 1986;9:239-42.
412. Wergeland E, Lund E, Waage JE. Respiratory dysfunction after potroom asthma. *Am J Ind Med.* 1987;11:627-36.
413. O'Donnell TV, Welford B, Coleman ED. Potroom asthma: New Zealand experience and follow-up. *Am J Ind Med.* 1989;14:43-9.
414. Desjardins A, Bergeron JP, Ghezzo H, Cartier A, Malo JL. Aluminium potroom asthma confirmed by monitoring of forced expiratory volume in one second. *Am J Respir Crit Care Med.* 1994;150:1714-7

415. Wittczak T, Dudek W, Krakowiak A, Walusiak J, Paczyski C. Occupational asthma due to manganese exposure: a case report. *Int J Occup Med Environ Health*. 2008;21:81-3.
416. Davies RJ, Hendrick DJ, Pepys J. Asthma due to inhaled chemical agents: ampicillin, bensyl penicillin, 6 amino penicillanic acid and related substances. *Clin Allergy*. 1974;4:227-47.
417. Lagier F, Cartier A, Dolovich J, Malo J-L. Occupational asthma in a pharmaceutical worker exposed to penicillamine. *Thorax*. 1989;44:157-8.
418. Coutts II, Dally MB, Newman Taylor AJ, Pickering CAC, Horsfield N. Asthma in workers manufacturing cephalosporins. *Br Med J*. 1981;283:950.
419. Briatico-Vangosa G, Beretta F, Bianchi S, Cardani A, Marchisio M, Nava C, Talamo F. Bronchial asthma due to 7-aminocephalosporanic acid (7-ACA) in workers employed in cephalosporine production. *Med Lav*. 1981;72:488-93.
420. Kim JE, Kim SH, Jin HJ, Hwang EK, Kim JH, Ye YM, Park HS. IgE Sensitization to Cephalosporins in Health Care Workers. *Allergy Asthma Immunol Res*. 2012;4:85-91.
421. Gómez-Ollés S, Martín F Madrid-San, Cruz MJ, Muñoz X. Occupational asthma due to colistin in a pharmaceutical worker. *Chest*. 2010;137:1200-2.
422. Ye YM, Kim HM, Suh CH, Nahm DH, Park HS. Three cases of occupational asthma induced by thiamphenicol: detection of serum-specific IgE. *Allergy*. 2006;61:394-5.
423. Park HS, Kim KU, Lee YM, Choi JH, Lee JH, Park SW, Jang AS, Park CS. Occupational asthma and IgE sensitization to 7-aminocephalosporanic acid. *J Allergy Clin Immunol*. 2004;113:785-7.
424. Kammermeyer JK, Mathews KP. Hypersensitivity to phenylglycine acid chloride. *J Allergy Clin Immunol*. 1973;52:73-84.
425. Busse WW, Schoenwetter WF. Asthma from psyllium in laxative manufacture. *Ann Int Med*. 1975;83:361-2.
426. Bardy JD, Malo JL, Séguin P, Ghezzo H, Desjardins J, Dolovich J, Cartier A. Occupational asthma and IgE sensitization in a pharmaceutical company processing psyllium. *Am Rev Respir Dis*. 1987;135:1033-8.
427. Cartier A, Malo J-L, Dolovich J. Occupational asthma in nurses handling psyllium. *Clin Allergy*. 1987;17:1-6.
428. Malo JL, Cartier A, L'Archevêque J, Ghezzo H, Lagier F, Trudeau C, Dolovich J. Prevalence of occupational asthma and immunologic sensitization to psyllium among health personnel in chronic care hospitals. *Am Rev Respir Dis*. 1990;142:1359-66.
429. Harries MG, Newman Taylor A, Wooden J, MacAuslan A. Bronchial asthma due to alpha-methyldopa. *Br Med J*. 1979;1461.
430. Davies RJ, Pepys J. Asthma due to inhaled chemical agents - the macrolide antibiotic Spiramycin. *Clin Allergy*. 1975;1:99-107.
431. Malo J-L, Cartier A. Occupational asthma in workers of a pharmaceutical company processing spiramycin. *Thorax*. 1988;43:371-7.
432. Moscato G, Naldi L, Candura F. Bronchial asthma due to spiramycin and adipic acid. *Clin Allergy*. 1984;14:355-61.
433. Fawcett IW, Pepys J, Erooga MA. Asthma due to "glycyl compound" powder—an intermediate in production of salbutamol. *Clin Allergy*. 1976;6:405-9.
434. Greene SA, Freedman S. Asthma due to inhaled chemical agents—amprolium hydrochloride. *Clin Allergy*. 1976;6:105-8.
435. Menon MPS, Das AK. Tetracycline asthma - a case report. *Clin Allergy*. 1977;7:285-90.

436. Asai S, Shimoda T, Hara K, Fujiwara K. Occupational asthma caused by isonicotinic acid hydrazide (INH) inhalation. *J Allergy Clin Immunol*. 1987;80:578-82.
437. Perrin B, Malo JL, Cartier A, Evans S, Dolovich J. Occupational asthma in a pharmaceutical worker exposed to hydralazine. *Thorax*. 1990;45:980-1.
438. Lee HS, Wang YT, Yeo CT, Tan KT, Ratnam KV. Occupational asthma due to tylosin tartrate. *Br J Ind Med*. 1989;46:498-9.
439. Luczynska CM, Marshall PE, Scarisbrick DA, Topping MD. Occupational allergy due to inhalation of ipecacuanha dust. *Clin Allergy*. 1984;14:169-75.
440. Coutts II, Lozewicz S, Dally MB, Newman-Taylor AJ, Burge PS, Flind AC, Rogers DJH. Respiratory symptoms related to work in a factory manufacturing cimetidine tablets. *Br Med J*. 1984;288:1418.
441. Drought VJ, Francis HC, Niven R McL, Burge PS. Occupational asthma induced by thiamine in a vitamin supplement for breakfast cereals. *Allergy*. 2005;60:1213-4.
442. Munoz X, Culebras M, Cruz MJ, Morell F. Occupational asthma related to aescin inhalation. *Ann Allergy, Asthma & Immunol*. 2006;96:494-6.
443. Klusackova P, Lebedova J, Pelclova D, Salandova J, Senholdova Z, Navratil T. Occupational asthma and rhinitis in workers from a lasamide production line. *Scand J Work Environ Health*. 2007;33:74-8.
444. Sastre J, Potro M del García, Aguado E, Fernández-Nieto M. Occupational asthma due to 5-aminosalicylic acid. *Occup Environ Med*. 2010;67:798-9.
445. Moscato G, Galdi E, Scibilia J, Dellabianca A, Omodeo P, Vittadini G, Biscaldi GP. Occupational asthma, rhinitis and urticaria due to piperacillin sodium in a pharmaceutical worker. *Eur Respir J*. 1995;8:467-9.
446. Stenton SC, Dennis JH, Hendrick DJ. Occupational asthma due to ceftazidime. *Eur Respir J*. 1995;8:1421-3.
447. Moneo I, Alday E, Ramos C, Curiel G. Occupational asthma caused by Papaver somniferum. *Allergol et Immunopathol*. 1993;21:145-8.
448. Biagini RE, Bernstein DM, Klincewicz SL, Mittman R, Bernstein IL, Henningsen GM. Evaluation of cutaneous responses and lung function from exposure to opiate compounds among ethical narcotics-manufacturing workers. *J Allergy Clin Immunol*. 1992;89:108-17.
449. Jiminez I, Anton E, Picans I, Sanchez I, Quinones MD, Jerez J. Occupational asthma specific to amoxicillin. *Allergy*. 1998;53:104-5.
450. Choi GS, Sung JM, Lee JW, Ye YM, Park HS. A case of occupational asthma caused by inhalation of vancomycin powder. *Allergy*. 2009;64:1391-2.
451. Walusiak J, Wittczak T, Ruta U, Palczynski C. Occupational asthma due to mitoxantrone. *Allergy*. 2002;57:461.
452. Cannon J, Fitzgerald B, Seed M, Agius R, Jiwany A, Cullinan P. Occupational asthma from tafenoquine in the pharmaceutical industry: implications for QSAR. *Occup Med (Lond)*. 2015;65:256-8.
453. Henriquez-Santana A, Bermejo SB, Ruiz-Hornillos J, Monge MV, Nieto MF. Occupational rhinitis and asthma due to ranitidine. *Ann Allergy Asthma Immunol*. 2016;117:88-9.

454. Valverde-Monge M, Fernández-Nieto M, López VB, Rodrigo-Muñoz JM, Cañas JA, Sastre B, Potro M García Del, Heras M De Las, Pozo VD, Sastre J. Novel causes of drug-induced occupational asthma. *The journal of allergy and clinical immunology In practice*. 2019;7:740-2.e1.
455. Alanko K, Keskinen H, Byorksten F, Ojanen S. Immediate-type hypersensitivity to reactive dyes. *Clin Allergy*. 1978;8:25-31.
456. Romano C, Sulotto F, Pavan I, Chiesa A, Scansetti G. A new case of occupational asthma from reactive dyes with severe anaphylactic response to the specific challenge. *Am J Ind Med*. 1992;21:209-16.
457. Nilsson R, Nordlinder R, Wass U, Meding B, Belin L. Asthma, rhinitis, and dermatitis in workers exposed to reactive dyes. *Br J Ind Med*. 1993;50:65-70.
458. Park HS, Lee MK, Kim BO, Lee KJ, Roh JH, Moon YH, Hong CS. Clinical and immunologic evaluations of reactive dye-exposed workers. *J Allergy Clin Immunol*. 1991;87:639-49.
459. Topping MD, Forster HW, Ide CW, Kennedy FM, Leach AM, Sorkin S. Respiratory allergy and specific immunoglobulin E and immunoglobulin G antibodies to reactive dyes used in the wool industry. *J Occup Med*. 1989;31:857-62.
460. Scibilia J, Galdi E, Biscaldi G, Moscato G. Occupational asthma caused by black henna. *Allergy*. 1997;52:231-2.
461. Miller ME, Lummus ZL, Bernstein DI. Occupational asthma caused by FD&C blue dye no.2. *Allergy & Asthma Proceedings*. 1996;17:31-4.
462. Jin HJ, Kim JH, Kim JE, Ye YM, Park HS. Occupational Asthma Induced by the Reactive Dye Synozol Red-K 3BS. *Allergy Asthma Immunol Res*. 2011;3:212-4.
463. Quirce S, Cuevas M, Olaguibel JM, Tabar AI. Occupational asthma and immunologic responses induced by inhaled carmine among employees at a factory making natural dyes. *J Allergy Clin Immunol*. 1994;93:44-52.
464. Vandenplas O, Caroyer JM, Cangh F Binard-van, Delwiche JP, Symoens F, Nolard N. Occupational asthma caused by a natural food colorant derived from Monascus ruber. *J Allergy Clin Immunol*. 2000;105:1241-2.
465. Clofent D, de Homdedeu M, Muñoz-Esquerre M, Cruz MJ, Muñoz X. Sudan red dye: a new agent causing type-2 occupational asthma. *Allergy Asthma Clin Immunol*. 2020;16:7.
466. Haltia T, Jungewelter S, Airaksinen L, Suomela S, Lindström I, Suojalehto H. Occupational asthma, rhinitis, and contact urticaria from indigo (*Indigofera tinctoria*) hair dye. *The journal of allergy and clinical immunology In practice*. 2021 May 3;9:3500-2.
467. Nagy L, Orosz M. Occupational asthma due to hexachlorophene. *Thorax*. 1984;39:630-31.
468. Waclawski ER, McAlpine LG, Thomson NC. Occupational asthma in nurses caused by chlorhexidine and alcohol aerosols. *Br Med J*. 1989;298:929-30.
469. Jachuck SJ, Bound CL, Steel J, Blain PG. Occupational hazard in hospital staff exposed to 2 per cent glutaraldehyde in an endoscopy unit. *J Soc Occup Med*. 1989;39:69-71.
470. Gannon PFG, Bright P, Campbell M, O'Hickey SP, Burge P Sherwood. Occupational asthma due to glutaraldehyde and formaldehyde in endoscopy and x ray departments. *Thorax*. 1995;50:156-9.
471. Fujita H, Ogawa M, Endo Y, Akkaya A. A case of occupational bronchial asthma and contact dermatitis caused by ortho-phthalaldehyde exposure in a medical worker. *J Occup Health*. 2006;48:413-6.

472. Tran S, Francis H, Hoyle J, Niven R. Occupational asthma and the paper recycling industry. *Occup Med (Lond)*. 2009;59:277-9.
473. Cristofari-Marquand E, Kacel M, Milhe F, Magnan A, Lehucher-Michel MP. Asthma caused by peracetic acid-hydrogen peroxide mixture. *J Occup Health*. 2007;49:155-8.
474. Feinberg SM, Watrous RM. Atopy to simple chemical compounds-sulfonechloramides. *J Allergy*. 1945;16:209-20.
475. Bourne MS, Flindt MLH, Walker JM. Asthma due to industrial use of chloramine. *Br Med J*. 1979;2:10-2.
476. Dijkman JG, Vooren PH, Kramps JA. Occupational asthma due to inhalation of chloramine-T. 1. Clinical observations and inhalation-provocation studies. *Int Archs Allergy Appl Immunol*. 1981;64:422-7.
477. Thickett KM, McCoach JS, Gerber JM, Sadhra S, Burge PS. Occupational asthma caused by chloramines in indoor swimming-pool air. *Eur Respir J*. 2002;19: 827-32.
478. Burge PS, Richardson MN. Occupational asthma due to indirect exposure to lauryl dimethyl benzyl ammonium chloride used in a floor cleaner. *Thorax*. 1994;49:842-3.
479. Bourke SJ, Convery RP, Stenton SC, Malcolm RM, Hendrick DJ. Occupational asthma in an isothiazolinone manufacturing plant. *Thorax*. 1997;52:746-8.
480. Walters GI, Robertson AS, Moore VC, Burge PS. Occupational asthma caused by sensitization to a cleaning product containing triclosan. *Ann Allergy Asthma Immunol*. 2017;118:370-1.
481. Honda I, Kohrogi H, Ando M, Araki S, Ueno T, Futatsuka M, Ueda A. Occupational asthma induced by the fungicide tetrachloroisophthalonitrile. *Thorax*. 1992;47:760-1.
482. Shelton D, Urch B, Tarlo SM. Occupational asthma induced by a carpet fungicide-tributyl tin oxide. *J Allergy Clin Immunol*. 1992;90:274-5.
483. Royce S, Wald P, Sheppard D, Balmes J. Occupational asthma in a pesticides manufacturing worker. *Chest*. 1993;103:295-6.
484. Andrasch RH, Bardana EJ, Koster F, Pirofsky B. Clinical and bronchial provocation studies in patients with meatwrapper's asthma. *J Allergy Clin Immunol*. 1976;58:291-98.
485. Sokol WN, Aelony Y, Beall GN. Meat-wrapper's asthma. A new syndrome? *JAMA*. 1973;226:639-41.
486. Song GW, Ban GY, Nam YH, Park HS, Ye YM. Case report of occupational asthma induced by polyvinyl chloride and nickel. *J Korean Med Sci*. 2013 Oct;28(10):1540-2.
487. Weiner A. Bronchial asthma due to the organic phosphate insecticides. *Ann Allergy*. 1961;19:397-401.
488. Vandenplas O, Delwiche JP, Auverdin J, Caroyer JM, Cangh F Binard-Van. Asthma to tetramethrin. *Allergy*. 2000;55:417-8.
489. Pepys J, Hutchcroft BJ, Breslin ABX. Asthma due to inhaled chemical agents-persulphate salts and henna in hairdressers. *Clin Allergy*. 1976;6:399-404.
490. Baur X, Fruhmann G, Liebe VV. Occupational asthma and dermatitis after exposure to dusts of persulfate salts in two industrial workers. *Respiration*. 1979;38:144-50.
491. Blainey AD, Ollier S, Cundell D, Smith RE, Davies RJ. Occupational asthma in a hairdressing salon. *Thorax*. 1986;41:42-50.
492. Pankow W, Hein H, Bittner K, v Wichert P. Asthma in hairdressers induced by persulphate. *Pneumologie*. 1989;43:173-5.

493. Gamboa PM, de la Cuesta CG, García BE, Castillo JG, Oehling A. Late asthmatic reaction in a hairdresser, due to the inhalation of ammonium persulphate salts. *Allergol Immunopathol*. 1989;17:109-11.
494. Villalobos V, Rial MJ, Pastor-Vargas C, Esteban I, Cuesta J, Sastre J. Occupational asthma and rhinitis due to yellow and red henna in a hairdresser. *J Investig Allergol Clin Immunol*. 2020 Sep 18;30:133-4.
495. Quirce S, Fernandez-Nieto M, Pozo V del, Sastre B, Sastre J. Occupational asthma and rhinitis caused by eugenol in a hairdresser. *Allergy*. 2008;63:137-8.
496. Graham V, Coe MJS, Davies RJ. Occupational asthma after exposure to a diazonium salt. *Thorax*. 1981;36:950-1.
497. Luczynska CM, Hutchcroft BJ, Harrison MA, Dornan JD, Topping MD. Occupational asthma and specific IgE to diazonium salt intermediate used in the polymer industry. *J Allergy Clin Immunol*. 1990;85:1076-82.
498. Cockcroft DW, Hoeppner VH, Dolovich J. Occupational asthma caused by cedar urea formaldehyde particle board. *Chest*. 1982;82:49-53.
499. Lemière C, Desjardins A, Cloutier Y, Drolet D, Perrault G, Cartier A, Malo JL. Occupational asthma due to formaldehyde resin dust with and without reaction to formaldehyde gas. *Eur Respir J*. 1995;8:861-5.
500. Frigas E, Filley WV, Reed CE. Asthma induced by dust from urea-formaldehyde foam insulating material. *Chest*. 1981;79:706-7.
501. Sahakian N, Kullman G, Lynch D, Kreiss K. Asthma arising in flavoring-exposed food production workers. *Int J Occup Med Environ Health*. 2008;21:173-7.
502. Malo JL, Gagnon G, Cartier A. Occupational asthma due to heated freon. *Thorax*. 1984;39:628-9.
503. Cockcroft DW, Cartier A, Jones G, Tarlo SM, Dolovich J, Hargreave FE. Asthma caused by occupational exposure to a furan-based binder system. *J Allergy Clin Immunol*. 1980;66:458-63.
504. Moscato G, Biscaldi G, Cottica D, Pugliese F, Candura S, Candura F. Occupational asthma due to styrene: two case reports. *J Occup Med*. 1987;29:957-60.
505. Slovak AJM. Occupational asthma caused by a plastics blowing agent, azodicarbonamide. *Thorax*. 1981;36:906-9.
506. Normand J-C, Grange F, Hernandez C, Ganay A, Davezies P, Bergeret A, Prost G. Occupational asthma after exposure to azodicarbonamide: report of four cases. *Br J Ind Med*. 1989;46:60-2.
507. Malo JL, Pineau L, Cartier A. Occupational asthma due to azobisisformamide. *Clin Allergy*. 1985;15:261-4.
508. Hendrick DJ, Connolly MJ, Stenton SC, Bird AG, Winterton IS, Walters EH. Occupational asthma due to sodium iso-nonanoyl oxybenzene sulphonate, a newly developed detergent ingredient. *Thorax*. 1988;43:501-2.
509. Vandenplas O, Hereng MP, Heymans J, Huaux F, Lilet-Leclercq C, Dezfoulian B, Grand JL, Thimpont J. Respiratory and skin hypersensitivity reactions caused by a peptide coupling reagent. *Occup Environ Med*. 2008;65:715-6.
510. Hnizdo E, Sylvain D, Lewis DM, Pechter E, Kreiss K. New-onset asthma associated with exposure to 3-amino-5-mercaptop-1,2,4-triazole. *J Occup Environ Med*. 2004;46:1246-52.
511. Burge P Sherwood, Hendy M, Hodgson ES. Occupational asthma, rhinitis, and dermatitis due to tetrazene in a detonator manufacturer. *Thorax*. 1984;39:470-1.

512. Gannon PFG, Burge PS, Benfield CFA. Occupational asthma due to polyethylene shrink wrapping (paper wrapper's asthma). *Thorax*. 1992;47:759.
513. Tarlo SM. Occupational asthma induced by tall oil in the rubber tyre industry. *Clin Exper Allergy*. 1991;22:99-102.
514. Valero AL, Bescos M, Amat P, Mallet A. Asma bronquial por exposicion laboral a sulfitos. Bronchial asthma caused by occupational sulfite exposure. *Allergol et immunopathol*. 1993;21:221-4.
515. Malo JL, Cartier A, Desjardins A. Occupational asthma caused by dry metabisulphite. *Thorax*. 1995;50:585-6.
516. Madsen J, Sherson D, Kjoller H, Hansen I, Rasmussen K. Occupational asthma caused by sodium disulphite in Norwegian lobster fishing. *Occup Environ Med*. 2004;61:873-4.
517. Malo JL, Cartier A, Pineault L, Dugas M, Desjardins A. Occupational asthma due to heated polypropylene. *Eur Respir J*. 1994;7:415-7.
518. Cartier A, Vandenplas O, Grammer LC, Shaughnessy MA, Malo JL. Respiratory and systemic reaction following exposure to heated electrostatic polyester paint. *Eur Respir J*. 1994;7:608-11.
519. Kivity S, Fireman E, Lerman Y. Late asthmatic response to inhaled glacial acetic acid. *Thorax*. 1994;49:727-8.
520. Piirila P, Estlander T, Hyrtonen M, Keskinen H, Tupasela O, Tuppurainen M. Rhinitis caused by nihydrin develops into occupational asthma. *Eur Respir J*. 1997;10:1918-21.
521. Moscato G, Omdeo P, Dellabianca A, Colli MC, Pugliese F, Locatelli C, Scibilia J. Occupational asthma and rhinitis caused by 1,2-benzisothiasolin-3-one in a chemical worker. *Occup Med*. 1997;47:249-51.
522. Suojalehto H, Karvala K, Ahonen S, Ylinen K, Airaksinen L, Suuronen K, Suomela S, Lindström I. 3-(Bromomethyl)-2-chloro-4-(methylsulfonyl)- benzoic acid: a new cause of sensitiser induced occupational asthma, rhinitis and urticaria. *Occup Environ Med*. 2018;75:277-82.
523. Sherson DL, Jacobsen IB, Thomsen GF. The antioxidant, tert-butylhydroquinone: a new cause of asthma. *Occup Med (Lond)*. 2023;73:109-11.
524. Dugue P, Faraut C, Figueredo M, Bettendorf A, Salvadori JM. Asthme professionnel à l'oxyde d'éthylène chez une infirmière. *Presse Méd*. 1991;20:1455.
525. Schwettmann RS, Casterline CL. Delayed asthmatic response following occupational exposure to enflurane. *Anesthesiology*. 1976;44:166-9.
526. Vellore AD, Drought VJ, Sherwood-Jone D, Tunnicliffe B, Moore VC, Robertson AS, PS. PS Burge. Occupational asthma and allergy to sevoflurane and isoflurane in anaesthetic staff. *Allergy*. 2006;61:1485-6.
527. Rodenstein D, Stanescu DC. Bronchial asthma following exposure to ECG ink. *Ann Allergy*. 1982;48:351-2.
528. Seaton A, Cherrie B, Turnbull J. Rubber glove asthma. *Br Med J*. 1988;296:531-2.
529. Cullinan P, Hayes J, Cannon J, Madan L, Heap D, Newman Taylor A. Occupational asthma in radiographers. *Lancet*. 1992;340:1477.
530. Rosberg M. Asthma bronchiale caused by sulphathiazole. *Acta Med Scand*. 1946;126:185-90.
531. Hendrick DJ, Lane DJ. Formalin asthma in hospital staff. *Br Med J*. 1975;1:607-8.

532. Burge PS, Harries MG, Lam WK, O'Brien IM, Patchett PA. Occupational asthma due to formaldehyde. Thorax. 1985;40:255-60.
533. Nordman H, Keskinen H, Tuppurainen M. Formaldehyde asthma-Rare or overlooked? J Allergy Clin Immunol. 1985;75:91-9.
534. Lozewicz S, Davison AG, Hopkirk A, Burge PS, Boldy D, Riordan JF, McGivern DV, Platts BW, Davies D, Newman-Taylor AJ. Occupational asthma due to methyl methacrylate and cyanoacrylates. Thorax. 1985;40:836-9.
535. Pickering CAC, Bainbridge D, Birtwistle IH, Griffiths DL. Occupational asthma due to methyl methacrylate in an orthopaedic theatre sister. Br Med J. 1986;292:1362-3.
536. Chan CC, Cheong TH, Lee HS, Wang YT, Poh SC. Case of occupational asthma due to glue containing cyanoacrylate. Ann Acad Med, Singapore. 1994;23:731-3.
537. Jurado-Palomo J, Caballero T, Fernández-Nieto M, Quirce S. Occupational asthma caused by artificial cyanoacrylate fingernails. Ann Allergy Asthma Immunol. 2009;102:440-1.
538. Suojalehto H, Suuronen K, Cullinan P, Lindström I, Sastre J, Walusiak-Skorupa J, Munoz X, Talini D, Klusackova P, Moore V, Merget R, Svanes C, Mason P, dell'Omø M, Moscato G, Quirce S, Hoyle J, Sherson D, Preisser A, Seed M, Rifflart C, Godet J, de Blay F, Vandenplas O. Phenotyping Occupational Asthma Caused by Acrylates in a Multicenter Cohort Study. The journal of allergy and clinical immunology In practice. 2020 Mar;8(3):971-9.e1.
539. Sánchez-Garcia S, Fernández-Nieto M, Sastre J. Asthma induced by a thermal printer. N Engl J Med. 2009;360:2375-6.
540. Weytjens K, Cartier A, Lemière C, Malo JL. Occupational asthma to diacrylate. Allergy. 1999;54:289.
541. Kennes B, Garcia-Herreros P, Sierckx P. Asthma from plexiglas powders. Clin Allergy. 1981;11:49-54.
542. Housholder GT, Chan JT. Tooth enamel dust as an asthma stimulus. Oral Surg Oral Med Oral Pathol. 1993;75:599-601.
543. Kern DG, Frumkin H. Asthma in respiratory therapists. Ann Int Med. 1989;110:767-73.
544. Musk AW, Peach S, Ryan G. Occupational asthma in a mineral analysis laboratory. Br J Ind Med. 1988;45:381-6.
545. Hendy MS, Beattie BE, Burge PS. Occupational asthma due to an emulsified oil mist. Br J Ind Med. 1985;42:51-4.
546. Zacharisen MC, Kadambi AR, Schlueter DP, Kurup VP, Shack JB, Fox JL, Anderson HA, Fink JN. The spectrum of respiratory disease associated with exposure to metal working fluids. J Occup Env Med. 1998;40:640-7.
547. Davison AG, Durham S, Taylor AJ Newman. Asthma caused by pulverised fuel ash. Br Med J. 1986;292:1561.
548. House R, Rajaram N, Tarlo SM. Case report of asthma associated with 3D printing. Occup Med (Lond). 2017;67:652-4.